

Report Control Number: ___

Position / Designation

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION (TABLE MONITORING)

Date of Inspection: January Mission Order No.:	17, 2022				
1. GENERAL INFORMATION					
Name of Establishment: EDGAR	SHELL GASOLINE STATION (EDGAR	P. MALAKI)			
Address: Pres. Sergio Osmena A	venue, Tacloban City	Geo Coordinates:			
Nature of Business: Fuel Refillir	ng Station	11.242°N, 124.98957°E			
PSIC Code: 47300, 4661	Product: Fuel	Year Established: 2015			
Operating hours/day: 16 hours	Operating days/week: 7 days	Operating days/year:	365 days		
Product Lines	Production Rate as Declared in the ECC (unit/day)	Actual Production F	late (unit/day)		
Name of Managing Head:	MR. RICHARD L. LEE				
Name of PCO:	MS. ELENITA JUNTILLA				
PCO Accreditation No.:		Date of Effectivity:			
Phone/Fax:	(0936) 312 1115	Email: shellabucay@yah	oo.com		
2. PURPOSE OF INSPECTION					
☐ Verify accuracy of information renewals, or modification	n submitted by the establishment p	ertaining to new permit app	olications,		
New Renewal		New Ren	ewal		
PMPIN Application					
Hazardous Waste ID Registration	1				
Hazardous Waste Transporter Re	egistration	П			
Hazardous waste TSD Registration			ā l		
Permit to Operate Air Pollution (Control Installation		7 1		
Discharge Permit					
Others					
✓ Determine compliance statu	us with the environmental regulation	ns permit conditions and o	ther		
requirements	s with the environmental regulation	io, per inic containono, una c			
☐ Investigate community com	nlaints				
☐ Check status of voluntary co					
	minument				
Industrial Ecowatch	(1. 7 (2.50)				
Philippine Environmental Partne					
Pollution Adjudication Board (PA					
Others					
Name of Contact Person	MS. VICTORIA VARGAS				

Office Staff

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date
	ECC1	ECC-RO8-1104-0040	01-27-2015	
PD 1586	ECC2			
	ECC3			
	DENR Registry ID	GR-R8-37-00197	10-27-2017	
RA 6969	PCL Compliance Certificate			
	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	POA-2019-J-0837-0321	10-21-2019	10-15-2024
RA 9003	ECC for Sanitary Landfill			
RA 9275	DP No.	DP-RO8-21-04715	09-29-2021	09-29-2022

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Soul	rce Data Information
Emission Source No.	1
Type (Brand/Model)	UGT (3 units)
Rated Capacity	24 KL, 16 KL, and 16 KL
Fuel Type & Quantity	
Operating Capacity	
Control Facility	
Notes	

Emission Source Date	a Information
Emission Source No.	
Type (Brand/Model)	
Rated Capacity	
Fuel Type & Quantity	
Operating Capacity	
Control Facility	
Notes	

Legal Provision	Regulatory Requirements	C	ompl	iant	Notes
			N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate	1			PTO valid until October 15, 2024
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications			1	
	Declared control facilities are installed and operational	J			
	Installation is located as proposed in the vicinity map (plant and machinery layout)			1	
	Facility design capacity is within the capacity declared in the application for permit to operate	1			
Rule 19 Section 5	Temporary Permit is still valid			1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			1	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	J			
	Conditions of the Permit to Operate are complied with	J			

Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence		J	
Rule 19 Section 12	Quarterly submission of self- monitoring report	1		Q ₁ Q ₂ Q ₃ Q _{4 01-14-2022}
DAO 2000-81				-
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.		J	
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner.		1	
Part 7 Rule 25 Section 5 a#	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx		J	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx		J	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx		J	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide		J	
	Establishment is ferro-alloy production facility installed with CEMS for particulates		1	
	Establishment is cement plant installed with CEMS for particulates		J	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities		J	State equipment then control facility/ies.
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)		J	Example: It has tire bath Automated water sprinklers
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (List controls identified)		1	
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	J		

EMB Memorandum Cir MC 2009-04	Standby Gen sets with capacity		
	greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gen sets should not have the potential to emit more than 100tons/year of regulated pollutant.	,	
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	J	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	1	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	J	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	J	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	J	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	J	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of cement kilns undergo bi-annual emission testing 'with 3 test runs)	,	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	,	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	,	

	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	1	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	J	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	1	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	,	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	,	
Appendix F (Quality As	surance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	,	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	1	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.	,	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	J	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	1	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter	J	
	Other alternative quarterly audits employed by the establishment are		

Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	J	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	J	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.	J	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	,	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.	J	
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS	,	
Section 8 (4)	SMR data measurements are within 75% data capture?	1	
For Facilities Engaged with	Consent Agreement		
EMS established within 18	EMS established within 18 months		
months upon entering Consent Agreement with EMB	upon entering Consent Agreement with EMB	1	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	,	

Other Observations:

- 1. The Fuel Refilling Station was issued an Environmental Compliance Certificate with Reference No. RO8-1104-0040 on April 28, 2011 however, was transferred to Mr. Richard Lee on January 19, 2015.
- The Project consists of three(3) units underground tanks for V-Power Gasoline and V-Power Diesel with a capacity of 16 KL each and Fuel Save Diesel with a capacity of 24 KL.
- 3. No standby generator set.
- 4. It has a valid Permit to Operate No. POA-2019-J-0837-0321 issued on October 21, 2019 and valid until October 15, 2024.
- 5. Self Monitoring Report for the 4th quarter of CY 2021 was submitted on January 14, 2022.

Remarks and Recommendations:

Maintain compliance with all the conditions stipulated in the Permit to Operate and Rules and Regulations of RA 8749 (Philippine Clean Air Act of 1999).

List of Documents Reviewed:

Copy of valid Permit to Operate and SMR

Submitted by:

Senior EMS

Recommending Approval:

ENGR. CARLOS A. CAY

Chief, WAQMS

Approved by:

Noted by:

ENGR. REYNADDO B. BARRA OIC, Regional Director



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date: February 09, 2022

Company Name: ENVIRONMENTAL MANAGEMENT BUREAU -

IIS No. : R8-2022-005935

REGION VIII (EASTERN VISAYAS) *



Subject / Title:

EDGAR SHELL GASOLINE STATION (EDGAR P. MALAKI), PRES. SERGIO OSMENA AVENUE, TACLOBAN

CITY

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

	ROUTED								
BY Official Code/ Sender Initial) DATE (mm/dd/yy) Cofficial Code/ Receiver Initial) TIME (AM/PM)		ACTION REMARKS STATUS							
Vilma C. Fabillo	02/09/2022	Carlos A. Cayanong	02:27 PM	For initial/signature.					
CN	2-9	N(H					
C.EMED	05/11/75	949		1					
				2					

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action

F - Pls. immediate investigation

G - Pls. Attach supporting papers

H - Pls. for approval

I - For initial/signature

J - For study/evaluation

K - Pls. release/file

L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.