



Republic of the Philippines
Department of Environmental and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU
Region VIII
DENR Compound, Jones Street, Barangay 2, Tacloban City
Tel No: (053) 832-1088 / (053) 832-2319
embr8_records@emb.gov.ph

Date: Mar 16, 2022

Permit No.: DP-R08-22-02079

New

WASTEWATER DISCHARGE PERMIT

Pursuant to Section 14, Article 2, of the RA 9275 otherwise known as the "Philippine Clean Water Act of 2004", this permit is hereby granted to **National Power Corporation (npc)** with office address at Hilabaan, Dolores, Eastern Samar for its establishment:

Npc-hilabaan Diesel Power Plant	Hilabaan DOLORES
TIN No. 000316279000	

To discharge **Industrial Wastewater** into **Body of Water** subject to the following conditions:

- The discharge rate of the effluent shall not exceed **0.003 m3/day** after treatment at the **Wastewater Treatment Facility (WTF) - Oil-Water Separator (OWS)** and that its shall comply with the following standard:

Parameter	Standard	Parameter	Standard
TSS	100 mg/L	Oil & Grease	10 mg/L
BOD	100 mg/L	Phosphate	4 mg/L

** Reference for effluent parameters: DAO 2016-08 & DAO 2021-19; PSIC Code - 35100*
- Institute measures on the operation of your **WTF-OWS** so as to have effluent conforming with the prescribed standard.
- The maximum wastewater generation of **0.003 m3/day** shall be from the washing/cleaning activities.
- Submit Self-Monitoring (SMR) based on the following schedule: *(Online submission at <https://client.emb.gov.ph/smr>)*

Quarter	Coverage	Submission	Quarter	Coverage	Submission
First	Jan-Mar	1-15 Apr.	Third	Jul-Sep.	1-15 Oct.
Second	Apr-Jun.	1-15 Jul.	Fourth	Oct-Dec.	1-15 Jan.
- Include effluent analysis on the **BOD,TSS, & Phosphate**, parameters, conducted by the **EMB8 Laboratory**, at least **two (2) months** prior to the expiration of this permit.
- Include effluent analysis on the **Oil and Grease** parameters, conducted by Third Party Laboratory duly recognized by EMB, at least **two (2) months** prior to the expiration of this permit.
- Submit **TSS** and/or **BOD** analysis of the abstracted water or source of your water supply. (e.g. deep well water, tap water, water distributed by peddlers, etc.) conducted by the **EMB8 Laboratory**, at least **two (2) months** prior to the expiration of this permit.
- Provide accessible sampling port at the effluent side of your **WTF-OWS** at all times.
- Channel your wastewater generation (washing/cleaning) into your **WTF-OWS**.
- Renew the Certificate of PCO Accreditation not later than **May 6, 2024**.
- Allow the entry of our duly authorized representative(s) to conduct inspection within your premises.
- This permit, together with the corresponding Official Receipts of Payment, shall be adequately framed and posted in a conspicuous place at the plant/establishment.
- This permit shall be renewed not less than **thirty (30) days** prior to its expiration.




This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.

This permit is valid up to **Mar 16, 2023**, unless revoked or suspended by this Office in writing.

Non-compliance with the above conditions and/or any pertinent provisions of RA 9275 otherwise known as "Philippine Clean Water Act of 2004", a corresponding penalty in the amount of P10,000-P200,000 per violation shall be imposed.

Recommended by:

Approved by:


ENGR. HENNENCY G. HAYAG
OIC-Chief, Clearance and Permitting Division


ENGR. REYNALDO B. BARRA
OIC-Regional Director

Permit Fee	: Php 2000.00	O.R. No. : 226-03022022-978181	Date : 2 March 2022
Filing Fee	: Php 55.00	O.R. No. : 226-03022022-978561	Date : 2 March 2022
PD1856	: Php 10.00	O.R. No. : 226-03022022-978561	Date : 2 March 2022
Documentary Stamp Tax	: Php 30.00	O.R. No. : 226-03022022-978561	Date : 2 March 2022



This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.