

Report Control Number:

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Date of Inspection: 15 Februar Mission Order No.: Desk Moni				
Mission Order No.: Desk Moni	toring (Sivik Evaluation)			
1. GENERAL INFORMATION				
	o Caltex Gasoline Filling Station (El Mer ent: Mateo S. Chua, Jr.)	rcado Fuel Sta	tion)	
Address: Real St., Brgy. 82 Maras	Geo Coordin	nates: 7846°N, 125.0015191°E		
Nature of Business: Refueling Sta				
PSIC Code: 4661	Product: Gasoline & Diesel	Year Establi	shed: 2004	
Operating hours/day: 12 hours	Operating days/week: 7	Operating d	ays/year: 365 days	
Product Lines	Production Rate as Declared in the ECC (unit/day)	Actual F	Production Rate (unit/day)	
N/A	N/A		N/A	
Name of Managing Head:	Ernesto L. Mercado			
Name of PCO:	Elmer C. Mercado			
PCO Accreditation No.:	2019-RVIII-0021	Date of Effectivity:		
Phone/Fax:	02/01/2019 – 02/01/2022 0917 323 3608 Email: elmercadofuel@gmail.com			
2. PURPOSE OF INSPECTION				
☐ Verify accuracy of information	n submitted by the establishment perta	ining to new p	permit applications,	
New Renewal		New	Renewal	
PMPIN Application			П	
Hazardous Waste ID Re	gistration			
Hazardous Waste Trans				
Hazardous waste TSD R				
Permit to Operate Air P	ollution Control Installation			
Discharge Permit				
Others				
 ☑ Determine compliance statured requirements ☑ Investigate community com ☑ Check status of voluntary complex 	•	ermit condition	ons, and other	
	and the state of t			
Industrial Ecowatch	10 1 1 0 1 7			
	al Partnership Program (PEPP)			
Pollution Adjudication E				
☐ Others				
Name of Contact Person	-			
Position / Designation	-			

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date
	ECC1	ECC-08-041112-0268	11/12/2004	-
PD 1586	ECC2	-		
	ECC3	-		
	DENR Registry ID	OL-GR-R8-37-010300	11/26/2020	-
RA 6969	PCL Compliance Certificate	•		
	CCO Registry	-		
	Permit to Transport	-		
RA 8749	POA No.	POA-2019-B-0837-0049	02/08/2019	02/08/2024
RA 9003	ECC for Sanitary Landfill	-		
RA 9275	DP No.	DP-R08-20-02943	07/22/2020	07/22/2021

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Sou	rce Data Information
Emission Source No.	1
Type (Brand/Model)	UGTs
	1 UGT of 8 kL capacity
	2 UGTs of 16 kL capacities
Rated Capacity	1 UGT of 22 kL capacity
Fuel Type & Quantity	Diesel & Gasoline
Operating Capacity	
Control Facility	
	· .

Notes: Fuel Storage Tanks

Emission Source No.	2
Type (Brand/Model)	Denyo generator set
Rated Capacity	45 KVA
Fuel Type & Quantity	Diesel
Operating Capacity	
Control Facility	Muffler

Legal Provision	Regulatory Requirements	Co	Compliant		Notes
			N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate	1			
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications			1	
	Declared control facilities are installed and operational	1			
	Installation is located as proposed in the vicinity map (plant and machinery layout)			1	
	Facility design capacity is within the capacity declared in the application for permit to operate	1			
Rule 19 Section 5	Temporary Permit is still valid			1	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			1	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	1			
	Conditions of the Permit to Operate are complied with	1			

Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence		/		
Rule 19 Section 12	Quarterly submission of self- monitoring report			Q ₁ 04/22/2021 Q ₃	Q ₂ Q ₄
DAO 2000-81					
Part 7 Rule 25 Section 5 a# 1	equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.		/		
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner		/		
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx		/		
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx		/		
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx		/		
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide		1		
	Establishment is ferro-alloy production facility installed with CEMS for particulates		/		
	Establishment is cement plant installed with CEMS for particulates		1		
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities		/		
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)		1		
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (List controls identified)		/		
Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	1			

MC 2009-04	Standby Gensets with capacity greater than or equal to 1,250 KW		1	
	undergo annual emission testing			
	(with 3 test runs). These gesets should not have the potential to emit			
	more than 100tons/year of regulated			
	pollutant.			
MC 2007-003 (2)	Boiler rated at greater than or equal		1	
	to 251HP undergo bi-annual emission testing (with 3 test runs)			
	Other sources that have potential to		1	
	emit equal to or greater than 100tons/year of regulated pollutant			
	undergo bi-annual emission testing			
	(with 3 test runs)			
	Boiler rated between 100 to 250 HP		1	
	undergo annual emission testing (with 3 test runs)			
	Diesel generator rated at 600 to		1	
	1,249KW undergo annual testing (with 3 test runs)			
	Other sources that have potential to		1	
	emit greater than 30 but less than 100tons/year of regulated pollutant			
	undergo annual emission testing			
	(with 3 test runs)			
	Sources of emissions of hazardous		1	
	air pollutants included in PCL (DAO 1998 -58) undergo bi-annual			
	emission testing (with 3 test runs)			
	Emission sources of petroleum		1	
	refinery undergo bi-annual emission testing (with 3 test runs)			
	Emission sources of petrochemical	+++	1	
	works undergo bi-annual emission testing (with 3 test runs)			
	tooting (min o toot vario)			
	Emission sources of smelters	+	1	
	undergo bi-annual emission testing (with 3 test runs)			
	(with 5 test runs)			
	Emission sources of cement kilns	-	1	
	undergo bi-annual emission testing		'	
	`with 3 test runs)			
	Emission and the control of the cont			
	Emission sources of steel -making plants undergo bi-annual emission		/	
	testing (with 3 test runs)			
	Emission as a second second			
	Emission sources of ferro-alloy- making plants undergo bi-annual		/	
	emission testing (with 3 test runs)			

	Emission sources of glass-making	/	
	plants undergo bi-annual emission testing (with 3 test runs)		
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	/	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	/	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)	/	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing	/	
Appendix F (Quality A	Assurance Procedures)		
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation	/	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan	1	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.	1	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.	/	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule	/	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter	/	
	Other alternative quarterly audits		

Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.	/	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.	/	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.	/	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.	/	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.	/	
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS	1	
Section 8 (4)	SMR data measurements are within 75% data capture?	1	
For Facilities Engaged wit	h Consent Agreement		
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB	1	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	/	

Other Observations:

- Based on the issued Permit to Operate, air pollution source equipment in the gas station are one (1) UGT with capacity 8 kL for Unleaded Gasoline fuel, two (2) UGTs each with 16 kL for Premium and Diesel fuel and one (1) UGT with 22 kL capacity for Diesel fuel. Also, a one (1) unit 45 KVA (36 KW) Denyo generator set is covered by this permit. This PTO is valid until February 8, 2024.
- Submission of Self-Monitoring Report (SMR) online was only on April 22, 2021 covering the 1st Quarter 2021.
- PCO for the gas station is to renew its accreditation.
- All Modules of the submitted SMR online has been properly supplied with the necessary data and information. Module 4 intended for R.A. 8749, has been supplied with data of the air pollution source (generator set) in the gas station, its

operating hours for the entire quarter, and the fuel consumption for the standby generator set. SMR was received as

. Discharge Permit for its domestic wastewater generation has expired last July 22, 2021. Renewal of the DP is to be lodged online.

Remarks and Recommendation:

- . The PCO of the gas station is to renew its accreditation in this Office.
- · To comply strictly on the regular and timely submission of the SMR.
- · To renew Discharge Permit for its domestic wastewater generation.
- For issuance of Notice/Letter to comply with the abovementioned recommendations.

List of Documents Reviewed:

Copy of ECC, SMR online, PTO, DP,

Submitted by:

URENTE

Engineer II

Engr. CARLOS A.

Recommending Approval:

NONG

Chief, WAQMS

Approved by:

FOR. MAI EDA,

OIC Chief El

Noted by:

B. BARRA

DIC, Regional Director



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU Regional Office No. VIII

DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date : March 01, 2022

: R8-2022-007269

Company Name: ENVIRONMENTAL MANAGEMENT BUREAU -

REGION VIII (EASTERN VISAYAS)



IIS No.

Subject / Title: Inspection Report AIR - Mercado Caltex Gasoline Filling Station (El Mercado Fuel Station)

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

	ROUTED						
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS			
Ledane Joy Y. Laurente	03/01/2022	Carlos A. Cayanong	07:37 AM	For initial/signature.			
CAV	# 3-1 MS 1014 H	1014	1014	Н			
CEMED	व्यावाद्य	0م0		1			

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action I - For initial/signature

F - Pls. immediate investigation J - For study/evaluation

G - Pls. Attach supporting papers K - Pls. release/file

H - Pls. for approval L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.