

**COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT****ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION**

Report Control Number: _____

Date of Inspection: March 07, 2022Mission Order No.: Table/Desk Monitoring**1. GENERAL INFORMATION**Name of Establishment: **VMG GAS STATION / SERRUCHO CORPORATION-SHELL GAS STATION**Address: **Brgy. 92, Apitong, Tacloban City**

Geo Coordinates:

11.216058 N, 124.986498 E

Nature of Business: Retail of Automotive Fuels

PSIC Code: **4661**

Product: N/A

Year Established: **2016**Operating hours/day: **12**Operating days/week: **7**Operating days/year: **365**

Product Lines	Production Rate as Declared in the ECC (unit/day)	Actual Production Rate (unit/day)
	Storage capacity=56KL	
Name of Managing Head:	JAIME GABAS	
Name of PCO:	NIÑA M. GABAS	
PCO Accreditation No.:	2019-RVIII-0142	Date of Effectivity: June 9, 2017
Phone/Fax:	0916-3029346	Email: sagittarius677@gmail.com

2. PURPOSE OF INSPECTION

- ☐ Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification

☐ New Renewal**New****Renewal**☐ PMPIN Application☐☐☐ Hazardous Waste ID Registration☐☐☐ Hazardous Waste Transporter Registration☐☐☐ Hazardous waste TSD Registration☐☐☐ Permit to Operate Air Pollution Control Installation☐☐☐ Discharge Permit☐☐☐ Others _____☐☐☐☐

- ☒ Determine compliance status with the environmental regulations, permit conditions, and other Requirements

- ☐ Investigate community complaints

- ☐ Check status of voluntary commitment

☐ Industrial Ecowatch☐ Philippine Environmental Partnership Program (PEPP)☐ Pollution Adjudication Board (PAB)☐ Others _____

- ☐ Others _____

Name of Contact Person

Position / Designation

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law	Permits		Date of Issue	Expiry Date
PD 1586	ECC1	ECC-OL-R08-2016-0091	03-08-2020	
	ECC2			
	ECC3			
RA 6969	DENR Registry ID			
	PCL Compliance Certificate			
	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	17-POA-K-0837-0562	11-17-2017	11-22-2022
RA 9003	ECC for Sanitary Landfill			
RA 9275	DP No.	DP-R08-22-00618	01-24-2022	01-24-2023

MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Source Data Information	
Emission Source	1
Type (Brand/Model)	UGTs for premium unleaded gasoline, premium & regular Diesel
Rated Capacity	16KL,16KL, 24KL,16KL
Fuel Type & Quantity	
Operating Capacity	
Control Facility	Air vent with filter
Notes:	

Emission Source Data Information	
Emission Source	2
Type (Brand/Model)	One (1) unit Fleetpower Brand Genset
Rated Capacity	25KVA
Fuel Type & Quantity	Diesel
Operating Capacity	standby
Control Facility	
Notes:	

Legal Provision	Regulatory Requirements	Compliant			Notes
		Y	N	N/A	
DAO 2004-26					
Rule 19 Section 1	All emission sources have a valid Permit to Operate		√		Permit is valid until 22 November 2022 for the standby genset
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	√			
	Declared control facilities are installed and operational	√			
	Installation is located as proposed in the vicinity map (plant and machinery layout)	√			
	Facility design capacity is within the capacity declared in the application for permit to operate	√			
Rule 19 Section 5	Temporary Permit is still valid			√	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			√	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation	√			

	or in an accessible / visible place near the installation				
	Conditions of the Permit to Operate are complied with	√			
Rule 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence			√	
Rule 19 Section 12	Quarterly submission of self-monitoring report	√			Q1 April 13, 2021 Q2 July 15, 2021 Q3 Oct 14, 2021 Q4 Jan 15, 2022
DAO 2000-81					
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.			√	
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner			√	
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx			√	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx			√	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx			√	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide			√	
	Establishment is ferro-alloy production facility installed with CEMS for particulates			√	
	Establishment is cement plant installed with CEMS for particulates			√	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities			√	State equipment then control facility/ies.
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)			√	Example: It has tire bath Automated water sprinklers
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc. (List controls identified)			√	

	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)			√	
	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)			√	
	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing			√	
Appendix F (Quality Assurance Procedures)					
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation			√	
	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan			√	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.			√	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.			√	
	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule			√	
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter			√	
	Other alternative quarterly audits employed by the establishment are approved by EMB.			√	
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.			√	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.			√	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.			√	
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.			√	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an			√	


Part 7 Rule 25 Section 13 d	No open burning activity in the establishment	√			
EMB Memorandum Circulars					
MC 2009-04	Standby Gensets with capacity greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gesets should not have the potential to emit more than 100tons/year of regulated pollutant.			√	
MC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)			√	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)			√	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)			√	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)			√	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)			√	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)			√	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)			√	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)			√	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)			√	
	Emission sources of cement kilns undergo bi-annual emission testing with 3 test runs)			√	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)			√	
	Emission sources of ferro-alloy-making plants undergo bi-annual emission testing (with 3 test runs)			√	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)			√	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)			√	

	emission standard for the pollutant/source category in question.				
Section 8 (3)	SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS			√	
Section 8 (4)	SMR data measurements are within 75% data capture?			√	
For Facilities Engaged with Consent Agreement					
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB			√	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB			√	
Other Observations:					
<ul style="list-style-type: none"> - Office records showed that Mr. Jaime Gabas was granted with an Environmental Compliance Certificate with reference code: ECC-OL-R08-2016-0091 issued on 13 August 2016 for the VMG Gasoline Station Project. - On 30 January 2019, this Office issued an amendment of ECC for new proponent and project name to Serrucho Corporation and Shell Gas Station respectively. - Permit to Operate Air Pollution Source and Control Installation issued is valid until November 22, 2022 for the one (1) unit Fleetpower Brand Standby Diesel Genset only. No permit was secured for the Underground tanks. - PCO accreditation of Niña M. Gabas was expired on June 09,2020. - Self-Monitoring Report for the 4th Quarter CY 2021 was submitted on January 15,2022 through the EMB online system. Insufficient information was provided per Module: Module 4-RA 8749, no data on the Summary of APSE/APCF; and Module 5-PD 1586, no inputs on the compliance to ECC conditions and Environmental Management Plan/Program and a brief description of Solid Waste Management Plan. 					
Remarks and Recommendation:					
<ul style="list-style-type: none"> - For Ma'am Niña M. Gabas to secure renewal of PCO accreditation. - To secure permit for the Underground tanks. - Timely submission of the Self-Monitoring Report quarterly and provide appropriate information as required per module. 					
List of Documents Reviewed:					
Copy of ECC, DP, PTO & SMR					


Submitted by:


JANET T. POLEA
 Engr. IV

Approved by:


FOR. MANUEL J. SACEDA, JR.
 OIC-Chief, EMED

Recommending Approval:


Engr. CARLOS A. CAYANONG
 Chief, WAQMS

Noted by:


REYNALDO B. BARRA, PME.
 OIC-Regional Director

