



Republic of the Philippines  
Department of Environmental and Natural Resources  
**ENVIRONMENTAL MANAGEMENT BUREAU**  
**Region VIII**  
DENR Compound, Jones Street, Barangay 2, Tacloban City  
Tel No: (053) 832-10-88

Date: Sep 21, 2021

Permit No.: DP-R08-21-06096  
**Renewal**

**WASTEWATER DISCHARGE PERMIT**

Pursuant to Section 14, Article 2, of the RA 9275 otherwise known as the "Philippine Clean Water Act of 2004", this permit is hereby granted to **Tbk Manufacturing Corporation** with office address at Barangay 74, Tacloban City (Capital), Leyte for its establishment:

<b>Tbk Manufacturing Corporation</b>	Barangay 74 TACLOBAN CITY (Capital)
TIN No. 005-533-390-000	

To discharge **Industrial Wastewater** into **Anibong Bay (Class SC)** subject to the following conditions:

1. The discharge rate of the effluent shall not exceed the **335 m3/day** after treatment at the **Wastewater Treatment Facility (WTF)** and shall comply with the following standard:

Parameter	Standard	Parameter	Standard
Temperature	3°C change	TSS	100 mg/L
pH	6.0 - 9.0	COD	200 mg/L

*\* Reference for effluent parameters: DAO 2016-08; PSIC Code - 10205*

2. Institute measures on the operation of your **WTF** so as to have effluent conforming with the prescribed standard.
3. The maximum wastewater generation of **9.0 m3/day** shall be from the process wastewater.
4. The maximum wastewater generation of **1.0 m3/day** shall be from the washing/cleaning activities.
5. The maximum wastewater generation of **1.0 m3/day** shall be from the domestic wastes.
6. The maximum wastewater generation of **10.0 m3/day** shall be from the recycled/reused in the process.
7. The maximum water consumption of **1.5 m3/day** shall be from the others (e.g, leaks, etc.)
8. Submit Self-Monitoring (SMR) based on the following schedule: *(Online submission at <https://client.emb.gov.ph/smr>)*

Quarter	Coverage	Submission	Quarter	Coverage	Submission
First	Jan-Mar	1-15 Apr.	Third	Jul-Sep.	1-15 Oct.
Second	Apr-Jun.	1-15 Jul.	Fourth	Oct-Dec.	1-15 Jan.

9. Include effluent analysis on the **TSS, pH, & Temperature** parameters, conducted by EMB RVIII Laboratory, at least **two (2) months** prior to the expiration of this permit.
10. Include effluent analysis on the **COD** parameter, conducted by Third Party Laboratory duly recognized by EMB, at least **two (2) months** prior to the expiration of this permit.
11. Submit **TSS** analysis of the abstracted water or source of your water supply. (e.g. deep well water, tap water, water distributed by peddlers, etc.) conducted by EMB RVIII Laboratory, at least **two (2) months** prior to the expiration of this permit.
12. Provide accessible sampling port at the effluent side of your **WTF** at all times.
13. Channel your wastewater generation (process & washing/cleaning) into your **WTF**.
14. Renew the Certificate of PCO Accreditation not later than **January 16, 2023**.
15. Allow the entry of our duly authorized representative(s) to conduct inspection within your premises.



This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.


16. This permit, together with the corresponding Official Receipts of Payment, shall be adequately framed and posted in a conspicuous place at the plant/establishment.
17. This permit shall be renewed not less than **thirty (30) days** prior to its expiration.

**This permit is valid up to Sep 21, 2022, unless revoked or suspended by this Office in writing.**

*Non-compliance with the above conditions and/or any pertinent provisions of RA 9275 otherwise known as "Philippine Clean Water Act of 2004", a corresponding penalty in the amount of P10,000-P200,000 per violation shall be imposed.*

Recommended by:

Approved by:

  
**MARIBEL B. MUNSAAYAC**  
Chief, Clearance and Permitting Division

  
**ENGR. REYNALDO B. BARRA**  
OIC-Regional Director

Permit Fee	: Php 2200.00	O.R. No. : 4739761, 4739762	Date : 10 Sept. 2021
Water Discharge Fee	: Php 539.00	O.R. No. : 4739761, 4739762	Date : 10 Sept. 2021
Filing Fee	: Php 55.00	O.R. No. : 4739761, 4736874, 4737162	Date : 10 Sept. 2021
PD1856	: Php 10.00	O.R. No. : 4739761, 4736874, 4737162	Date : 10 Sept. 2021
Documentary Stamp Tax	: Php 30.00	O.R. No. : 4739761, 4736874, 4737162	Date : 10 Sept. 2021



This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.