

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR EIA

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number:			
Date of Inspection: January 18			
Mission Order No.: <u>Desk Mon</u>	nitoring		
1. GENERAL INFORMATION			
Name of Establishment: Tac	loban Port Improvement/Rehabilita	tion Project	
Address: Port Area, Tac	cloban City, Leyte	Geo Coordinates	
Nature of Business: Subdivisi	ion	11.2490991, 124	.5504363
PSIC Code: None	Product: N/A	Year Established	:
Operating hours/day: 24	Operating days/week: 7	Operating days/	year: 365
Product Lines	Production Rate as Declared	Actual P	roduction Rate (unit/day)
	in the ECC (unit/day)		
	None		
Name of Managing Head:	Manuel A. Boholano (Port Ma	nager)	
NAME OF PCO:	Jayvee O. Florendo		
PCO Accreditation No.:	2019-RVIII-0134	Date of Effectivit	y: Oct. 22,2019 – Oct. 22, 2022
Phone/Fax:	09070448054	Email: jayveeof	orendo@gmail.com
2. PURPOSE OF INSPECTION			
	nation submitted by the establishme	nt pertaining to ne	ew permit applications.
renewals, or modifica			,
New Renewal		New	Renewal
PMPIN Application			
Hazardous Waste II			
	ransporter Registration		
Hazardous waste T			
	Air Pollution Control Installation		
Discharge Permit			
Others			
☐ Determine environmer	ntal regulations, permit conditions co	ompliance status w	vith the, and other requirement
☐ Investigate community			
☐ Check status of volunta	7		
Industrial Ecowatch			
	mental Partnership Program (PEPP)		
Pollution Adjudicat			
Others			
Name of Contact Person	Jayvee O. Florendo		
Position / Designation	PCO		

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law	Permits		Date of Issue	Expiry Date
	ECC1	ECC-R08-1108-0080	Aug. 15, 2011	
PD 1586	ECC2			
	ECC3			
	DENR Registry ID			
RA 6969	PCL Compliance Certificate			
	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	PTO-OL-R08-2021-04610	Jun. 28, 2021	Jun. 28, 2026
RA 9003	ECC for Sanitary Landfill			
RA 9275	DP No.			

Legal Reference	Compliance Requirements	Compliant?			Remarks
(Revised DAO 2003-30)		Υ	N	N/A	
Chapter 2-3 19)	Does the establishment submit Compliance Monitoring Report (CMR) semi-annually to EMB?		1		
a) (i)	Does the CMR include an assessment of the following:				
	a) Performance against the ECC conditions?			//	
	b) Performance against the Environmental Management Plan (EMP)			/	
	c) Performance against the monitoring of actual impacts (including residual impacts) as against predicted impacts in the Environmental Impact Assessment (EIA) Report and as related to current project operations?			/	
DAO 2003-30 Chapter 2-3 19) a) (ii) and DAO No.	Does the establishment submit to the concerned EMB Regional Office detailed report on compliance to environmental standards specific to environmental laws through the quarterly Self-Monitoring Report (SMR)?			/	
2003-27 Chapter 2-3 19)	Does the establishment submit semi-annual CMRs as part of Module 5 of the second and fourth quarter SMRs?			/	
a) (iii)	Does the second CMR include simple trend analysis of the environmental standards and a summary of the cumulative annual and historical performance/compliance analysis on key environmental and social parameters?			/	
Chapter 2-3 19) a) (iv)	Was the first CMR submitted mid-year after the start of project implementation (except for ECC commitments/conditions, which need to be submitted prior to project start-up)?			/	
	Did the establishment notify EMB on the start-up			/	
	Is the establishment required a Multi-Partite Monitoring Team (MMT) (ECC condition)?			/	

	Has the MMT been established through a signed Memorandum of Agreement (MOA)?	/	
	Is the MMT MOA in accordance with the prescriptions?	/	
	Has the establishment facilitated the operationalization of an MMT Manual of Operations (MOO) based on prescribed Guidelines including the use of Compliance Monitoring and Validation Report (CMVR)	/	
	Has an Environmental Monitoring Fund (EMF) been established and operationalized based on prescribed guidelines?	/	
	Is the establishment required an Environmental Guarantee Fund (EGF) (ECC condition)?	/	
	Has an EGF been established?	1	
Chapter 2-3 19) b) (iii)	Does the establishment address complaints, exceedance of standards, and/or suspicious data?	/	

Compliance to ECC Conditions and EMI			3-30)		
ECC/EMP Condition/ Requirement Categorization	Relevant ECC Condition/s (if any)		Compliant			Proof of Compliance
Categorization	No.	Description	Y	N	N/A	
1) Project coverage/limits			1			
2) Components					/	
Other sectoral requirements mandated by other agencies to be complied with					/	
4) EMP and updates as deemed required					/	
5) Conduct of baseline, compliance and impact self- monitoring					/	
6) Multi-sectoral Monitoring (as may be required)					/	
7) Regular reporting					/	
8) Institutional arrangements necessary for implementation of environmental management measures					/	
Standard DENR requirement on transfer of ownership					/	
10) Standard DENR requirement on abandonment					1	
11) Impact Mitigation Plan or Construction/Contractor's Environmental Program					1	
12)Social Development Plan (SDP)					/	
13) Information, Education and Communication (IEC) Plan					/	
14)Contingency/Emergency Response Plan or equivalent Risk Management Plan					/	
15) Abandonment Plan (when applicable)					/	
16) Environmental Monitoring Plan (EMoP)					/	

Other Observations:

- 1. Tacloban Port is issued with an ECC with ECC reference number: ECC-R08-1108-0080 issued on Aug. 15, 2011, for improvement/rehabilitation of the port. Project components include Improvement/Rehabilitation of existing R.C. Pier and Wharf Decks, one (1) storey administration/office, and parking area. Total project area is 7,904 square meters located at Port Area, Tacloban City.
- 2. As per information from the PCO, the improvement/rehabilitation project was completed on June 12, 2012. As to date, the port is still operational.
- 3. No latest CMR submission for 2nd Semester 2021. The PCO however, submits SMR online regularly.
- 4. Currently, the management of the port is under Global Ports Inc.
- 5. The establishment is also issued with a valid permit to operate air pollution source installation with permit number: PTO-OL-R08-2021-04610 valid until June 28, 2026, for operation of one (1) unit 150 KVA Cummins Diesel Standby Generator set.

Remarks and Recommendations:

- For issuance of Notice to Comply to Tacloban Port to apply for DP and to regularly submit CMR as compliance to ECC

List of Documents Reviewed:

Copy of ECC

Submitted by:

EMS I

Recommending Approval:

Engineer IV/Chief, WAQMS

Approval:

OIC Chief, EN

Noted:

DIC, Regional D



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR Compound, Jones St. Brgy. 02 Tacloban City (053) 832-2319



February 4, 2022

MANUEL A. BOHOLANO
Port Manager
Philippine Ports Authority – PMO Eastern Leyte/Samar
Port Area, Brgy. Libertad,
Tacloban City

Attention:

JAYVEE O. FLORENDO/GILBERT B. ESQUIBEL

Pollution Control Officers

Dear Sir Boholano:

This has reference to the compliance monitoring (desk monitoring) conducted by our technical staff for your establishment on January 18, 2022. The following are the findings and recommendations formulated, to wit:

FINDINGS AND OBSERVATIONS:

- 1. No discharge permit for generation of wastewater.
- 2. No latest submission of Compliance Monitoring Report (CMR)

REMARKS AND RECOMMENDATIONS:

- 1. To secure Discharge Permit (DP) for generation of wastewater thru EMB website: https://opms.emb.gov.ph
- 2. To submit Compliance Monitoring Report biannually through the EMB website or through http://online.emb.gov.ph/cmr

As such, you are hereby enjoined to comply with the above-cited recommendations in compliance with the requirements of the Environmental Laws and its Implementing Rules and Regulations of RA 8749, otherwise known as The Philippine Clean Air Act of 1999" and P.D. 1586, otherwise known as "Philippine Environmental Impact Statement System" within **thirty (30) days** from the receipt of this letter.

Failure to do so shall be deemed as violations of applicable rules and regulations. This Office will be compelled to take appropriate legal action against your establishment.

Please be guided accordingly.

Very truly yours,

REYNALDO B. BARRA, PME

OIC, Regional Director

Protect the Environment . . . Protect Life.



Republic of the Philippines Department of Environment and Natural Resources NVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date: February 04, 2022

: R8-2022-005614

Company Name: PPA - PMO EASTERN LEYTE/SAMAR (TACLOBAN

IIS No.

Subject / Title: Tacloban Port - EIA Monitoring (Desk)

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

		F	ROUTED	
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS
Sharmaine I. Silleza	02/04/2022 2-4	Carlos A. Cayanong	11:42 AM	For initial/signature.
Un.	6 7	''/	1157	11
CEMED	05/04/55	ono		1
RDF	EB 0 4 2022	EMEDY	4:53	Nated Signed
		Nin	<i>V</i>	

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action I - For initial/signature

F - Pls. immediate investigation J - For study/evaluation

G - Pls. Attach supporting papers K - Pls. release/file

H - Pls. for approval L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.