



Republic of the Philippines  
Department of Environment and Natural Resources  
**ENVIRONMENTAL MANAGEMENT BUREAU**  
Regional Office No. VIII  
DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



**CHEMICAL AND HAZARDOUS WASTE MANAGEMENT SECTION**  
**COMPLIANCE INSPECTION REPORT FOR HAZARDOUS WASTE GENERATORS**

Report Control Number:	HWG-40	Desk Monitoring
Date of Inspection:	February 11, 2022	

**1. GENERAL INFORMATION**

Name of Establishment:	GLOBE TELECOM		
Address:	Brgy. Poblacion Javier, Leyte	Geo Coordinates:	10.79446N, 124.93542E
Nature of Business:	Telecommunication Services		
PSIC Code:	Product:	Year Established:	
Operating Hours/day: 24	Operating days/week: 7	Operating days/year: 365	

Product Lines	Production Rate as declared in the ECC	Actual Production Rate	(Unit / day)
N/A	N/A	N/A	
<b>Name of Managing Head:</b>	<b>ELIZABETH S. TOLENTINO</b>		
<b>Name of PCO:</b>	<b>JEROME F. OPTINA</b>		
PCO Accreditation:	2016-RVIII-0036	Date of Effectivity:	April 6, 2016-April 6, 2019
Phone Fax:	0917-797-6885	Email Address:	<a href="mailto:dppangilinan@globe.ph">dppangilinan@globe.ph</a>

**2. PURPOSE OF INSPECTION**

Verify accuracy of information submitted by the establishment pertaining to new permit applications, renewals, or modification	New	Renewal
PMPIN Application		
Hazardous Waste ID Registration		
hazardous Waste Transporter Registration		
Hazardous Waste TSD Registration		
Permit to Operate Air Pollution Control Installation		
Discharge Permit		
Others		
Determine compliance status with environmental regulations, permit conditions, and other requirements		
Investigate community complaints		
Check status of voluntary commitment		
Industrial EcoWatch		
Philippine Environmental Partnership Program (PEPP)		
Pollution Adjudication Board (PAB)		
/ Others	<b>Hazardous Waste Generator Compliance Monitoring</b>	
Name of Contact Person	<b>Jerome F. Optina</b>	
Position / Designation	<b>PCO</b>	

**3. COMPLIANCE STATUS**

**3.1 DENR permits/Licenses/Clearances**

Environmental Law	Permits		Date of Issue	Expiry Date
PD 1586	ECC 1	N/A	N/A	N/A
	ECC 2			
	ECC 3			
RA 6969	DENR ID	GR-R8-37-00082	December 8, 2016	N/A
	PCL Cert.			
	CCO Registry			
RA 8749	PO No.	17-POA-C-0837-0118	March 6, 2017	March 6, 2022
RA 9003	ECC SLF			
RA 9275	DP No.	N/A	N/A	N/A

### I. GENERAL HAZWASTE GENERATOR INFORMATION\*

Hazwaste Generator ID: GR-R8-37-00082 Date of Issue: December 8, 2016

Types of Hazardous Wastes Generated based on the Generator's Registration

Waste Generating Process	Type of Hazardous Waste	Quantity	Unit
	I101-Used Industrial Oil	0.0003	MT

\* To be accomplished prior to site inspection

Legal Reference Revised DAO 2013-22	Compliance Requirement	Compliant?			Remarks
		Y	N	N/A	

### II. REGISTRATION / PERMIT REQUIREMENTS

Chapter 3.3	Is the establishment registered with EMB-DENR as a Hazardous Waste Generator?	/			
	Has the establishment paid the Application fee?	/			
	DENR ID No. : GR-R8-37-00082	/			Registered as HWG
	Category: Large ___ Small ___	/			
Chapter 3.3(a)	Has the establishment designated a Pollution Control Officer (PCO)?	/			The establishment is operating with EMB Accredited PCO
	Name of PCO: Jerome F. Optina	/			
	PCO Accreditation No.: 2016-RVIII-0036	/			
Chapter 3.3(b)	Is the establishment registered online?	/			
Chapter 3.3(c)	Does the establishment have a permit to construct or operate hazardous waste TSD premise? (If yes, accomplish Compliance Inspection Checklist for TSD facilities)		/		
	Has the establishment submitted the Hazardous Waste Management Module of the SMR?	/			4th Q 2021 submitted on January 15, 2022
Chapter 3.3(c)	Has the establishment submitted the Hazardous Waste Generators Quarterly Report Form? (Quarterly for Large, Annual for Small)	/			Module 2 of SMR

### III. HAZARDOUS WASTE MANAGEMENT (Chapter 3.5)

Chapter 3.3 (d)	Does the establishment comply with the Hazardous Waste Storage and Transport Requirements?			/	No record of off-site transport of Hazardous Waste as of 4th quarter 2021
Chapter 3.3 (f)	Does the establishment comply with the Hazardous Waste Storage Transport Manifest System?			/	
Chapter 3.3 (h)	Does the establishment communicate the hazards posed by improper handling, storage, transpoer and use of hazardous wastes and their containers to employees?			/	

<b>III-A. Storage Requirements</b>					
Chapter 6.1.1	Are the establishment's storage facilities:			N/A	
Chapter 6.1.1 (a)	Accessible in cases of emergency and for purposes of inspection and monitoring?	/			
Chapter 6.1.1 (b)	Enclosed but adequately ventilated?	/			
Chapter 6.1.1(c)	Equipped with floors that are impermeable to liquids and resistant to attack by chemicals not slippery, and constructed to retain spillages?			/	Not identified or indicated in the submitted 4th Q SMR
Chapter 6.1.1 (d)	Properly secured and not easily accessed by unauthorized persons?			/	
Chapter 6.1.1 (e)	Equipped with proper waste segregation according to chemical properties and waste type?			/	
Chapter 6.1.1 (f)	Proper drum handling and storage:			N/A	
	Are drums in upright position and stacked not more than two drums high?			/	Not identified or indicated in the submitted 4th Q SMR
	Are drums placed on pallets that allow passage of water and circulation of air?			/	
	Are drums leak free?			/	
	Are filled drums not stored on their side?			/	
	Are drums stored horizontally on racks provided with support for the entire length of the drum?			/	
	Are drums that are stored with materials that permeate polyethylene provided with adequate ventilation?			/	
	Are adequate safety precautions observed at all times when handling filled drums?			/	
Chapter 6.1.1 (g)	Is the establishment equipped with full emergency response equipment?			/	
Chapter 6.1.2	Does the establishment maintain maximum number of year for accumulation / storage of hazardous waste? (Not more than 1 year for large generators, and three years for small generators)			/	
<b>III-B. Packaging Requirements</b>					
Chapter 6.1.3	Does the establishment use appropriate types of containers for each types of containers for each type of wastes?			/	Not identified or indicated in the submitted 4th Q SMR
	Does the establishment use polyethylene drums for acids and bases?			/	
	Does the establishment use metal drums for flammable, solvents and paints?				
	Does the establishment use fiber drums for granular materials?			/	
Chapter 6.4	Does the establishment follow proper packaging requirements?			/	
Chapter 6.4.1	Are vessels, containers, tanks and containment buildings used for storage of hazardous wastes:			N/A	
Chapter 6.4.1 (a)	In good condition without leaks or damage?			/	No record of off-site transport of Hazardous Waste as of 4th quarter 2021
Chapter 6.4.1 (b)	Made from materials suitable for the characteristics of the wastes to be stored?			/	
Chapter 6.4.1 (c)	Equipped with a strong lid or cap to prevent spillage during transport?			/	
Chapter 6.4.1	Does the establishment follow and implement proper packaging procedures?			/	

<b>III-C. Labelling Requirements</b>					
Chapter 6.2.1 (a)	Are the labels within the required minimum size (20cm x 30cm) or readable five (5) meters from the vehicle?			/	Not identified or indicated in the submitted 4th Q SMR
Chapter 6.2.1 (b)	Are the colors of the label (yellow for background and black for letters) conspicuously marked in paint or other permanent form of marking?			/	
Chapter 6.2.1 ©	Are the materials of the labels scratch proof and resistant to tampering and weathering?			/	
Chapter 6.2.2	Are the labels attached to the side of the vessel to the side of the vessel, container, or tank?			/	
Chapter 6.2.1 (e)	Are the labels accompanied by a placard corresponding to the characteristics of wastes contained in the vessel, container, tank, or containment building?			/	
Chapter 6.3.1 (a)	Are placards within the minimum size (25cm x 25cm) for vessels, containers, and tanks or readable from five (5) meters afar?			/	No record of off-site transport of Hazardous Waste as of 4th quarter 2021
Chapter 6.3.1 (b)	Are placards for waste transporting vehicles, readable from 10 meters?			/	
Chapter 6.3.1 (c)	Are the placards square and rotated 45 degrees to form a diamond?			/	
Chapter 6.3.1 (d)	Do the placards have a parallel line on each of the four sides drawn to form an inner diamond 95% of the outer diamond?			/	
Chapter 6.3.1 (e)	Do the colors of the placard follow the colors specified according to the class of hazardous waste?			/	
Chapter 6.3.2	Are the placards attached to the side of the vessel, container, or tank?			/	
<b>III-D. Waste Transport / Treatment Requirements</b>					
Chapter 3.5(3)	Does the establishment ensure that transporters and treaters hired are duly accredited by DENR?			/	No record of off-site transport of Hazardous Waste as of 4th quarter 2021
Chapter 3.5(4)	Does the establishment comply with online hazardous waste manifest system in transporting hazardous waste for offsite treatment, storage, and disposal?			/	
Chapter 3.5(5)	Does the establishment ensure that treatment / disposal is completed?			/	
<b>IV. EMERGENCY CONTINGENCY REQUIREMENTS</b>					
Chapter 3.3(g) / Chapter 8	Has the establishment submitted an Emergency Contingency Plan to EMB?	/			
	Does the Emergency Contingency Plan include:			N/A	
Chapter 8.2.1	Emergency Response Organizational Structure (including member of the organization and their responsibilities)?	/			
Chapter 8.2.2	List of potential emergency scenarios?	/			Fire & Earthquake
Chapter 8.2.3	Specific procedure for responding to spills or chemical releases?	/			
Chapter 8.2.4	Schedule and conduct of drills?	/			
Chapter 8.3	Training on Emergency Response Organizations	/			

Chapter 8.4	Does the establishment have records of all response activities?			/	Not identified or indicated in the submitted 4th Q SMR
	Does the establishment submit Incident Reports to DENR?			/	
Chapter 8.5	Does the establishment update the Contingency Program based on changes in process operations, use of new chemicals and / or generation of new hazardous waste, change in emergency response organizational structure, actual release of chemicals, and / or significant change in response procedure?			/	
Chapter 3.5(2)	Does the establishment have a Spill Response Plan that includes:		N/A		
	Immediate reporting to EMB-DENR?	/			
	Securing / containing of the affected area?	/			
	Cleaning up of spilled or leaked hazardous waste?	/			

#### V. PERSONEL TRAINING REQUIREMENTS

Chapter 9	Does the establishment train staff and personnel on:			N/A	Not identified or indicated in the submitted 4th Q SMR
Chapter 9(a)	Hazardous Waste Management?			/	
Chapter 9(b)	Contingency Plan?			/	
Chapter 9(c)	Compliance Monitoring Procedures?			/	
Chapter 7.1	Does the establishment use a manifest form from the EMB Regional Office having jurisdiction over it?			/	No record of off-site transport of Hazardous Waste as of 4th quarter 2021
	Does the establishment complete in duplicate required portions for waste generators?			/	
	Does the establishment give a copy of the Spill Response Plan and the 2nd to 6th copies of the manifest to the recognized waste transporter?			/	
	Does the establishment retain and store 1st copy of the manifest 24 months from the date of receipt of the copy of the manifest by the Regional Office having jurisdiction over the location of the waste generator?			/	
	Does the generator confirm the designated water treater's acceptance of the hazardous waste by receiving the 4th copy of the manifest from the designated waste treater?			/	

#### VI. HAZARDOUS WASTE MANIFEST SYSTEM

Chapter 7.1	Does the generator confirm the designated waste treater's completion of recycling, reprocessing, treatment or disposal of the hazardous waste by receiving a certificaton of completion issued by the designated water treater with a photocopy of the 6th copy of the manifest attached?			/	No record of off-site transport of Hazardous Waste as of 4th quarter 2021
	Hazardous Waste Record (Online)			/	
	Has the generator paid the corresponding fees upon receipt of notification via email (get copy of OR)?			/	
	Does the generator have the copy of Notice of Acceptance from the EMB-RO notifying the approval of their application?			/	

**Other Observations:**

- Has an approved PTO for 1 unit 15 KVA " Powecity" generator set.
- No record of off-site transport of hazardous wastes as of 4th Quarter of 2021.
- Compliant as per submission of 4th Q 2021 SMR dated January 15, 2022.
- PCO Accreditation Certificate was expired on April 6, 2019.

**Remarks and Recommendations:**

- The Management shall update DENR ID Registration as hazardous waste generator thru EMB Hazardous Waste Management System.
- No longer required to secure renewal of PTO for 15KVA Generator Set as per MC 2020-17 on the guideline for issuance of PTO wherein generator set engines (1-15kW) used in small scale operation is exempted for PTO.
- For renewal of expired PCO Accreditation Certificate.
- Continuous and strict compliance to RA 6969 & other DENR-EMB Environmental Laws & Policies.

**List of Documents Reviewed:**

4th Quarter 2021 SMR, Approved PTO, PCO Accreditation Certificate

**HAZARDOUS WASTE GENERATOR REGISTRATION CERTIFICATE**

Permit No. Republic Act 6969, DENR Administrative Order No. 2018-22, the Implementing Rules and Regulations of Republic Act (RA) 6969, this Certificate is issued to:

**GLOBE TELECOM INC. - ZAMORA JAVIER TOWER**  
Zamora St. Zone 2, Javier, Leyte

Has shown information to the satisfaction of the Environmental Management Bureau, Region VII, Department of Environment and Natural Resources regarding the hazardous wastes Generator registration requirements and is therefore assigned with the new on-line registration no.

**GR - R8 - 37 - 00082**

Issuance Permit Date Approved: December 6, 2020

Type of Waste	CLASS	WASTE NUMBER
Hazardous wastes (solid and liquid)	B 40%	1 103
Non-hazardous wastes (solid and liquid)	C 0%	1 103

Waste site (land fill)

The above-named HW Generator shall comply with all the requirements of RA. 6969, its Implementing Rules and Regulation and the Procedural Manual for Hazardous Wastes Management.

Submission of the duly executed self monitoring report shall be made within fifteen (15) days after the end of every reporting period using the prescribed forms.

Please refer to this number whenever you make transactions with RMR on matters pertaining to RA 6969.

**Authorized Signature**

**Assumption Name**: **LETICIA R. MACEA**  
**Date**: **December 6, 2020**

Telephone No.: (053) 224-1309; e-mail: [zamora@emeb.davao.gov.ph](mailto:zamora@emeb.davao.gov.ph)

**ENVIRONMENTAL MANAGEMENT BUREAU**  
Permit No. RA-A-00082-11  
Cathedral City, Davao City, Philippines  
Permit No. 0531832-1085

**PERMIT TO OPERATE AIR POLLUTION INSTALLATIONS**  
(Renewal)

Permit No. **RA-A-00082-11** | **Permit Date Issued: 06 Dec 2017** | **Valid Until: 05 Dec 2022**

**GLOBE TELECOMMUNICATIONS, INC.**  
(Name of Firm, individual, owner, etc.)  
Zamora St. Zone 2, Javier, Leyte  
(Exact Address)

To operate the following (Description of structure and/or equipment):

One (1) unit 15 KVA (12 kW) "POWECITY" standby generator set.


**Permit Conditions:**

- Subject to immediate revocation if found violating the Implementing Rules and Regulations of RA 8749 and the conditions set forth in this Permit.
- This Operating Permit covers only the authorized structure/ equipment mentioned above. Any unauthorized structure/equipment shall be immediately discontinued.
- A copy of the permit shall be displayed at the establishment at all times.
- Operating hours of the said equipment shall be from 0600 hrs. to 2200 hrs. before the expiry date.
- The Manager or Regional Director or his/her authorized officer in charge of the establishment(s) shall keep a record of the fuel used, oil consumption and rate of hours of operation, to be included in the quarterly report for submission to this Bureau.
- The Manager or Regional Director or his/her authorized officer in charge of the establishment(s) shall allow entry and access to any part of the establishment to conduct inspections, audits, and take samples at all times during office hours. The permittee shall cooperate with the authorized or accredited officer of the Bureau in the conduct of such inspection.
- The permittee shall maintain a record/ logbook of monitoring, operational data of APSC and APCD, operating hours of the APSC and APCD, and shall submit to the Bureau for review and verification during inspection. They shall also submit reports of such review/inspection to DENR quarterly as part of the State.

Prepared By:

  
**ENGR. ALMIRA O. RIPALDA**  
EMS I

Approved By:

  
**FOR. MANUEL J. SACEDA, JR.**  
OIC-Chief, EMED

Recommending Approval:

  
**ENGR. LIZA A. TAN**  
EIII/OIC-Chief, CHWMS

Noted By:

  
**REYNALDO B. BARRA, PME**  
OIC-Regional Director