



DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
ENVIRONMENTAL MANAGEMENT BUREAU REGION 8
DENR Compound, Brgy. 2, Tacloban City

SURVEY REPORT FOR HAZARDOUS WASTES

Name of Establishment: Costelo Beach
Address of Establishment: Brgy. Danhug, Ormoc City, Leyte
Name of PCO/Person contacted: Maria Christina M. Caerlang
Email/Contact No.: 0946-657-2291
Date of survey: February 18, 2021

Purpose of Inspection/Survey: To conduct survey of Potential Hazardous Waste Generator located at Brgy. Danhug, Ormoc City, Leyte.

I. Does the establishment have the following environmental permits/certificates?

Permits/Certificates	Yes	No	N/A	Remarks
Environmental Compliance Certificate (ECC) / Certificate of Non-Coverage (CNC)	/			With ECC reference number ECC-OL-R08-2019-0192 issued on October 17, 2019.
Waste Water Discharge Permit			/	
Permit to Operate			/	
Hazardous Waste (HW) Generator Registration Certificate			/	
HW Transporter Registration Certificate			/	
HW TSD Facility Registration Certificate			/	
Permit to Transport			/	
Pollution Control Officer (PCO) Accreditation Certificate			/	

II. Does the establishment generate hazardous wastes? *(if Yes, fill in the table provided)*

() Yes (/) No

Type of Hazardous Waste	Quantity	Unit

III. Does the establishment have a storage area for hazardous wastes? (if Yes, check for its storage compliance requirements)

() Yes (/) No

Storage Requirements	Yes	No	N/A	Remarks
a) Accessible in cases of emergency and for purposes of inspection and monitoring				
b) Enclosed but adequately ventilated				
c) Equipped with floors that are impermeable to liquids and resistant to attack by chemicals, not slippery, and constructed to retain spillages				
d) Properly secured and not easily accessed by unauthorized persons				
e) Have provision for proper waste segregation according to chemical properties and waste type				
g) Have provision for drum handling and storage:				
<i>g.1 Are drums in upright position and stacked not more than two (2) drums high?</i>				
<i>g.2 Are drums placed on pallets that allow passage of water and circulation of air?</i>				
<i>g.3 Are drums leak free?</i>				
<i>g.4 Are filled drums not stored on their side?</i>				
<i>g.5 Are drums stored horizontally on racks provided with support for the entire length of the drum?</i>				
h) Use appropriate types of containers for each type of wastes:				
<i>h.1 Polyethylene drums for acids and bases</i>				
<i>h.2 Metal drums for flammables, solvents, and paints</i>				
<i>h.3 fiber drums for granular materials</i>				
i) Equipped with full emergency response equipment				
j) Equipped with Personal Protective Equipment (PPE)				
k) Maintain maximum number of year for accumulation / storage of hazardous waste (Not more than 1 year for large generators, and three years for small generators)				

IV. Does the establishment attach labels/placards for vessels, containers, tanks, and containment building containing hazardous wastes? *(if Yes, check for its labeling compliance requirements)*

() Yes (/) No

Labeling Requirements	Yes	No	N/A	Remarks
a) Label minimum size (20 cm x 30 cm) or readable five (5) meters away				
b) Color of the label is yellow for background and black for letters conspicuously marked in paint or other permanent form of marking				
c) Materials are scratch-proof and resistant to tampering and weathering				
d) Accompanied by a placard corresponding to the characteristics of wastes contained in the vessel, container, tank, or containment building				
e) Placard minimum size for vessels, containers, and tanks (10 cm x 10 cm) or readable five (5) meters away				
f) Placard minimum size for waste transporting vehicles (30 cm x 30 cm) or readable ten (10) meters away				
g) Basic shape of the placard is a square rotated 45 degrees to form a diamond				
h. Have parallel line on each of the four sides of the placard to form an inner diamond				
i. Follow the colors specified according to the class of hazardous wastes				

Other Findings and Observations:

Below are the findings observed during the conduct of survey:

- 1. The Costelo Beach located at Brgy. Danhug, Ormoc City, Leyte has an approved ECC with reference number ECC-OL-R08-2019-0192 issued on October 17, 2019;
- 2. The establishment is operational but with limitations at the time of inspection;
- 3. Has a total of 15 nipa-hut cottages, and 1 residential building;
- 4. The establishment has 4 septic tanks, no standby generator set; and
- 5. No other permits/clearances issued by EMB except the approved ECC.

Remarks and Recommendations:

- 1. To submit Compliance Monitoring Report semi-annually.
- 2. Continuous compliance to existing Environmental Laws.



Prepared by:

Handwritten signature of Hannah Joy D. Montallana
HANNAH JOY D. MONTALLANA
Technical staff

Recommending Approval:

Handwritten signature of Liza A. Tan
LIZA A. TAN
EIII/OIC CHIEF, CHWMS

Approved by:

Handwritten signature of Reynaldo B. Barra
REYNALDO B. BARRA, PME
Chief, EMED

Noted by:

Handwritten signature of Detecia R. Maceda
DETECIA R. MACEDA
Regional Director



Republic of the Philippines
Department of Environment and Natural Resources
ENVIRONMENTAL MANAGEMENT BUREAU
Regional Office No. VIII
DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City
Telefax: (053) 832-1088
Email: r8support@emb.gov.ph emb8_emb8@yahoo.com
Website: r8.emb.gov.ph




22 March 2021

FE M. BOLAÑO

Owner

Costelo Beach Resort

Brgy. Danhug, Ormoc City, Leyte



Dear Madam:

Environmental Greetings!

This has reference to the inspection conducted by our technical staff in your establishment last February 18, 2021 on your compliance to the approved Environmental Compliance Certificate (ECC) No. ECC-OL-RO8-2019-0192 issued by this office on October 17, 2019. The following are the findings and recommendations formulated, to wit:

Findings:

- 1) The facility has no existing standby generator set, has 4 septic tanks and only 2 of which are intended for commercial purposes.
- 2) No submission of Compliance Monitoring Report (CMR) as required under General Conditions of the approved Environmental Compliance Certificate (ECC).

Recommendations:


- 1) To apply for a Discharge Permit for the domestic wastewater.
- 2) Must submit Compliance Monitoring Report semi-annually.
- 3) Continuous and strict compliance to existing environmental laws.

As such, you are hereby enjoined to comply with the above-cited recommendations in compliance with the requirements of the Environmental Laws and its Implementing Rules and Regulations of PD 1586 (Philippine Environmental Impact Statement System) and Republic Act No. 9275 (Philippine Clean Water Act of 2004) within thirty (30) days from the receipt of this letter.

Failure to do so shall be deemed as violations of applicable rules and regulations. This Office will be compelled to take appropriate legal action against your establishment.

Please be guided accordingly.

Very truly yours,


LETECIA R. MACEDA
Regional Director