



Republic of the Philippines  
Department of Environmental and Natural Resources  
**ENVIRONMENTAL MANAGEMENT BUREAU**  
**Region VIII**  
DENR Compound, Jones Street, Barangay 2, Tacloban City  
Tel No: (053) 832-10-88

Date: Oct 08, 2021

Permit No.: DP-R08-21-06532  
**Renewal**

**WASTEWATER DISCHARGE PERMIT**

Pursuant to Section 14, Article 2, of the RA 9275 otherwise known as the "Philippine Clean Water Act of 2004", this permit is hereby granted to **Ebr Marketing Corp. / Ebr Aggregates & Trucking Crushing & Ready-mixed Concrete Batching Plant** with office address at Macabug, Ormoc City, Leyte for its establishment:

<b>Ebr Marketing Corp. / Ebr Aggregates &amp; Trucking</b> Macabug ORMOC CITY <b>Crushing &amp; Ready-mixed Concrete Batching Plant</b> TIN No. 004-305-869-009
---

To discharge **Industrial Wastewater** subject to the following conditions:

1. The discharge rate of the effluent shall not exceed the **22.0 m3/day** after treatment at the **Wastewater Treatment Facility (WTF) - Settling Pond** and shall comply with the following standard:

Parameter	Standard
TSS	100 mg/L

*\* Reference for effluent parameters: DAO 2016-08, Memorandum dated November 12, 2018.*

2. Institute measures on the operation of your **WTF - Settling Pond** so as to have effluent conforming with the prescribed standard.
3. The maximum wastewater generation of **12.0 m3/day** shall be from the process.
4. The maximum wastewater generation of **10.0 m3/day** shall be from the washing/cleaning activities.
5. Submit Self-Monitoring (SMR) based on the following schedule: (*Online submission at <https://client.emb.gov.ph/smr>*)

Quarter	Coverage	Submission	Quarter	Coverage	Submission
First	Jan-Mar	1-15 Apr.	Third	Jul-Sep.	1-15 Oct.
Second	Apr-Jun.	1-15 Jul.	Fourth	Oct-Dec.	1-15 Jan.

6. Include effluent analysis on the above parameters, conducted by the EMB8 Laboratory, at least **two (2) months** prior to the expiration of this permit.
7. Submit **TSS** analysis of the abstracted water or source of your water supply. (e.g. deep well water, tap water, water distributed by peddlers, etc.) conducted by the EMB8 Laboratory, at least **two (2) months** prior to the expiration of this permit.
8. Provide accessible sampling port at the effluent side of your **WTF - Settling Pond** at all times.
9. Submit Certificate of PCO Accreditation not later than **three (3) months**. Make sure that the managing head had already attended the required eight (8) hours training on environmental management covering the basic environmental laws, rules and regulations and the duties and responsibilities of the PCO.
10. Allow the entry of our duly authorized representative(s) to conduct inspection within your premises.
11. This permit, together with the corresponding Official Receipts of Payment, shall be adequately framed and posted in a conspicuous place at the plant/establishment.
12. This permit shall be renewed not less than **thirty (30) days** prior to its expiration.

<b>This permit is valid up to <u>Oct 08, 2022</u>, unless revoked or suspended by this Office in writing.</b>
---




This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.

Non-compliance with the above conditions and/or any pertinent provisions of RA 9275 otherwise known as "Philippine Clean Water Act of 2004", a corresponding penalty in the amount of P10,000-P200,000 per violation shall be imposed.

Recommended by:

Approved by:

  
**MARIBEL B. MUNSAAYAC**  
Chief, Clearance and Permitting Division

  
**ENGR. REYNALDO B. BARRA**  
OIC-Regional Director

Permit Fee	: Php 2200.00	O.R. No. : 4739629	Date : Sept. 24, 2021
Filing Fee	: Php 55.00	O.R. No. : 4737199,4736919,4739629	Date : Sept. 24, 2021
PD1856	: Php 10.00	O.R. No. : 4737199,4736919,4739629	Date : Sept. 24, 2021
Documentary Stamp Tax	: Php 30.00	O.R. No. : 4737199,4736919,4739629	Date : Sept. 24, 2021



This is a computer generated certificate. To verify the authenticity of this file, kindly scan the generated QR Code using your QR Code scanner/reader or visit the OPMS website for details.