

## **ENVIRONMENTAL MANAGEMENT BUREAU REGION 8**



# COMPLIANCE INSPECTION FOR AIR QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number:

Date of Inspection:

Mission Order No.:

March 07, 2022

Table/Desk Monitoring

1. GENERAL INFORMATION					
Name of Establishment: Of	RIENTAL MOTOR SPIRIT DISTRIBUTO	R, INC.			
Address: Brgy. 88, San Jose, Tacloban City		Geo Coordinates			
Nature of Business: Retail of Au	utomotive Fuels	11.206098 N,125	5.024/82 E		
PSIC Code: 4661	PSIC Code: 4661 Product: N/A		: 2010		
Operating hours/day: 14	Operating days/week: 7	Operating days/	year: <b>365</b>		
Dead at time	Deadustics Data as Dadayad	A et a l Due	dusting Date (mit/day)		
Product Lines	Production Rate as Declared in the ECC (unit/day)	Actual Pro	oduction Rate (unit/day)		
Name of Managing Head:	FE N. MUNOZ				
Name of PCO:	FE N. MUNOZ				
PCO Accreditation No.:	2016-RVIII-0120	Date of Effectivity: Sept. 15, 2016			
Phone/Fax:	0917-3296245	Email: femunoz218@yahoo.com			
2. PURPOSE OF INSPECTION					
☐ Verify accuracy of information renewals, or modification	on submitted by the establishment p	ertaining to new p	ermit applications,		
New Renewal		New	Renewal		
PMPIN Application			T.		
Hazardous Waste ID R	egistration				
Hazardous Waste Trar					
Hazardous waste TSD	Registration				
Permit to Operate Air	Pollution Control Installation				
Discharge Permit					
Others					
	tus with the environmental regulation	ns, permit conditio	ns, and other		
Requirements					
☐ Investigate community cor					
☐ Check status of voluntary of	commitment				
Industrial Ecowatch					
	tal Partnership Program (PEPP)				
Pollution Adjudication					
Others					
U Others					
Name of Contact Person  Position / Designation					
		and he district			

## 3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

<b>Environmental Law</b>		Permits	Date of Issue	Expiry Date
	ECC1	ECC-R08-1011-0153	12-03-2010	
PD 1586	ECC2			
	ECC3			
	DENR Registry ID	GR-R8-37-00089		
	PCL Compliance			
RA 6969	Certificate			
	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	PTO-OL-R08-2020-01889-R	10-27-2020	10-27-2025
RA 9003	ECC for Sanitary Landfill			kusen uud e
RA 9275	DP No.	DP-R08-21-02780	05-12-2021	05-12-2022

## MODULE AQM01: PRE-INSPECTION INFORMATION SHEETFOR EMISSION SOURCES

Emission Sou	rce Data Information
Emission Source	1
Type (Brand/Model)	UGTs for Platinum - premium gasoline, Diesel, Silver-unleaded gasoline)
Rated Capacity	16KL,16KL, 8KL
Fuel Type & Quantity	
Operating Capacity	
Control Facility	Air vent with filter
Notes:	

Emission Source	2
Type (Brand/Model)	Denyo Genset
Rated Capacity	25KVA
uel Type & Quantity	Diesel
Operating Capacity	Standby
Control Facility	

Legal Provision	Regulatory Requirements	Complia		liant	Notes
			N	N/A	
DAO 2004-26	Control of the contro				
Rule 19 Section 1	All emission sources have a valid Permit to Operate	٧			Permit is valid until 27 October 2025
Rule 19 Section 3	As built design of the installation conforms with submitted engineering plans and specifications	٧			
	Declared control facilities are installed and operational	٧			
	Installation is located as proposed in the vicinity map (plant and machinery layout)	٧			
	Facility design capacity is within the capacity declared in the application for permit to operate	٧			
Rule 19 Section 5	Temporary Permit is still valid			٧	
Rule 19 Section 6	Application for renewal has been filed for expiring Permit to Operate 30 days before permit expiration date			٧	
Rule 19 Section 9	Permit to Operate displayed conspicuously upon the installation or in an accessible / visible place near the installation	٧			

	Conditions of the Permit to Operate are complied with	٧		
Rulle 19 Section 11	Plant operational problems notification submitted to EMB within 24 hours of occurrence		٧	
Rule 19 Section 12	Quarterly submission of self- monitoring report	٧		Q1 April 13, ,2021 Q2 July 22,2021 Q3 Nov. 16,20121 Q4 Feb 8, 2022
DAO 2000-81				45 Nov. 10,20121 44 1 65 0, 2022
Part 7 Rule 25 Section 5 a# 1	Person in charge of the plant / equipment has sufficient measure to ensure that no dark smoke is discharging from any stack in the establishment. E.g.: window view of stack, mirror to reflect top of stack, smoke density indicator, CCTV, etc.		٧	
Part 7 Rule 25 Section 5 a# 2	All oil-burning equipment have heaters capable of heating oil to a temperature appropriate for the oil and burner		٧	
Part 7 Rule 25 Section 5 a# 3	Establishment is fossil fuel-fired power plant over 10MW rating installed with CEMS for particulates, sulfur oxide, and NOx		٧	
	Establishment is petroleum refinery / petrochemical industry installed with CEMS for particulates, sulfur oxide, and NOx		٧	
	Establishment is primary copper smelter installed with CEMS for particulates, sulfur oxide, and NOx		٧	
	Establishment is steel plant installed with CEMS for particulates and sulfur oxide		٧	
	Establishment is ferro-alloy production facility installed with CEMS for particulates		٧	
	Establishment is cement plant installed with CEMS for particulates		٧	
Part 7 Rule 25 Section 5 b	Miscellaneous equipment like reheating furnace, smoke oven, bake oven, coffee heaters, varnish kettles, etc. are installed with pollution control facilities		٧	State equipment then control facility/ies.
Part 7 Rule 25 Section 13 a	Establishment has precautionary controls for dusts generated during vehicular movement, transportation of materials, construction, etc. (List controls identified)		٧	Example: It has tire bath Automated water sprinklers
Part 7 Rule 25 Section 13 b	Establishment has precautionary controls for volatile organic compounds or organic solvent emissions generated during storing, pumping, handling, processing, etc.		٧	
	(Listcontrols identified)			

MB Memorandum Circ	ulars		
MC 2009-04	Standby Gensets with capacity greater than or equal to 1,250 KW undergo annual emission testing (with 3 test runs). These gesets should not have the potential to emit more than 100tons/year of regulated pollutant.	٧	
IC 2007-003 (2)	Boiler rated at greater than or equal to 251HP undergo bi-annual emission testing (with 3 test runs)	٧	
	Other sources that have potential to emit equal to or greater than 100tons/year of regulated pollutant undergo bi-annual emission testing (with 3 test runs)	٧	
	Boiler rated between 100 to 250 HP undergo annual emission testing (with 3 test runs)	٧	
	Diesel generator rated at 600 to 1,249KW undergo annual testing (with 3 test runs)	٧	
	Other sources that have potential to emit greater than 30 but less than 100tons/year of regulated pollutant undergo annual emission testing (with 3 test runs)	V	
	Sources of emissions of hazardous air pollutants included in PCL (DAO 1998 -58) undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of petroleum refinery undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of petrochemical works undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of smelters undergo bi-annual emission testing (with 3 test runs)	V	
= -	Emission sources of cement kilns undergo bi-annual emission testing 'with 3 test runs)	٧	
	Emission sources of steel -making plants undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of ferro-alloy- making plants undergo bi-annual emission testing (with 3 test runs)	٧	
	Emission sources of glass-making plants undergo bi-annual emission testing (with 3 test runs)	V	
	Boiler rated at 99HP or less undergo biennial emission testing (with 3 test runs)	٧	
	Diesel generator rated at 599KW or less undergo biennial emission testing (with 3 test runs)	٧	

	Other sources that have potential to emit at least 10tons/year but less than 30tons/year of regulated pollutant undergo biennial emission testing (with 3 test runs)		٧	
Sodius 8 (A) For hashives Engaged with	Source using Bunker Fuel Oil, blended fuels involving Bunker Fuel Oil, or sulfur content of 1% or more undergo bi-annual emission testing		٧	
Appendix F (Quality Assur	ance Procedures)			
Section 6 (8)	Notification has been sent to EMB for any changes made in the CEMS installation		٧	
n saidhean agus an an t-aireann an t-aireann an t-aireann an t-aireann an t-aireann an t-aireann an t-aireann Can t-aireann agus an t-aireann	Notification has been sent to EMB for any changes made in the CEMS quality assurance and quality control plan		٧	
Section 6 (5)	Each CEMS is audited and conducted in accordance to CFR 40 part 60 Appendix F.		٧	
Section 6 (6)	Relative Accuracy Test Audit (RATA) is performed annually by industries in the presence of EMB personnel.		٧	Acces (71, 500.5)
Landston American	Establishment has sent thirty (30) day notice to EMB prior to the RATA testing schedule		٧	unate new End the round o
Section 6 (7)	Calibration gases are subject to audit or relative accuracy audit test every quarter		٧	
	Other alternative quarterly audits employed by the establishment are approved by EMB.		٧	
Section 6 (9)	EMB Director and Regional Director have been notified of CEMS malfunction that lasted longer than seven (7) consecutive days.		٧	
Section 7 (1)	Records of occurrence and duration of any start-up, shut-down or malfunction in the operation of any source or control facility is available in the establishment.		٧	
Section 7 (2)	Records of audits, performance testing, evaluations, calibration checks, adjustments and maintenance of any continuous emission monitors that have been		٧	
	installed pursuant to Rule IX Section 5 of DAO 2000-81 are available in the establishment.			
Section 8 (1)	SMR includes data on the time intervals, date and magnitude of excess emissions, nature and cause of excess, corrective actions taken, and preventive measures adopted.		٧	
Section 8 (2)	SMR includes information on the averaging period used for data reporting corresponding to the averaging period specified in the emission test period used to determine compliance with an emission standard for the pollutant/source category in question.		٧	

SMR includes information on time and date for each period during which the continuous monitoring system was inoperative and the nature of system repairs and adjustments made in the CEMS/COMS		٧	
Section 8 (4)	SMR data measurements are within 75% data capture?	V	
For Facilities Engaged with	n Consent Agreement		
EMS established within 18 months upon entering Consent Agreement with EMB	EMS established within 18 months upon entering Consent Agreement with EMB	٧	
DAO 2000-81 Part 7 Rule 25 Section 9b	Environmental Management Plan derived from EMS process submitted within 6 months after entering Consent Agreement with EMB	V	

## Other Observations:

- Office records showed that the gasoline station issued with an Environmental Compliance Certificate with reference code: ECC-R08-1011-0153 was amended from High - Camon International Company Inc. to Oriental Motor Spirit Distributor, Inc. on April 05, 2021.
- Permit to Operate Air Pollution Source and Control Installation issued is valid until October 27, 2025.
- Issued with Wastewater Discharge Permit valid until May 12, 2022.
- The PCO accreditation of Fe N. Munoz was expired on September 16, 2019.
- Late submission of Self-Monitoring Report for the 4th Quarter CY 2021. The proponent submitted the report on February 08, 2022, through the EMB online system.

### Remarks and Recommendation:

- For Ma'am Fe N. Munoz to secure renewal of PCO accreditation.
- Timely submission of the Self-Monitoring Report quarterly and provide appropriate information as required per module.

## List of Documents Reviewed:

Copy of ECC, DP, PTO & SMR

Submitted by:

JANET T. POLEA Engr. IV

Approved by:

FOR. MANUEL J. SACEDA, JR.

Recommending Approval

Engr. CARLOS A. CAYANON Chief, WAQMS

Noted by:

OIC-Regional Director



# Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



#### DISPOSITION FORM

Doc. Date : March 07, 2022

: R8-2022-007715

Company Name: ORIENTAL MOTOR SPIRIT DISTRIBUTOR INC.,

**BRGY. 88, SAN JOSE TACLOBAN CITY** 

Subject / Title: Compliance Inspection for Air Quality Management

## TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

IIS No.

		]	ROUTED	
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION   REMARKS   STATUS
Janet T. Polea	03/07/2022	Carlos A. Cayanong	01:59 PM	For initial/signature.
OAV	3-8	Ms	915	H
O.EMED	03/08/12	QLD		1
RD	MAR 1 5 202	2 EMEDY	8:59a	Noted / Signed
		Nin		

#### Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action

F - Pls. immediate investigation

G - Pls. Attach supporting papers

H - Pls. for approval

I - For initial/signature

J - For study/evaluation

K - Pls. release/file

L - Update stat of case

#### Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.