

ENVIRONMENTAL MANAGEMENT BUREAU REGION 8



COMPLIANCE INSPECTION FOR WATER QUALITY MANAGEMENT

ENVIRONMENTAL MONITORING AND ENFORCEMENT DIVISION-WATER AIR QUALITY MONITORING SECTION

Report Control Number: WKW - 23 - 12 - 10

Date of Inspection: March 14, 2022

Mission Order No.: Table/ Desk Monitoring

1. GENERAL INFORMATION Name of Establishment:	ST. PETER LIFE MEMORIAL HOMES	(VISAVAS) INC		
Name of Establishment:	ST. PETER LIFE MEMORIAL HOMES	(VISATAS) INC.		
Address: Real St., Brgy.5	6, Tacloban City	Geo Coordinates: 11.2292653 N,124.9997403 E		
Nature of Business: Funera	al parlor			
PSIC Code:96300	Product: N/A	Year Established:2009		
Operating hours/day:24	Operating days/week:7	Operating days/year:365		
Product Lines	Production Rate as Declared in the ECC (unit/day)	ne Actual Production Rate (unit/day)		
	N/A			
Name of Managing Head:	MS. MARIBETH KANGLEON			
Name of PCO:	XANDRA MAE CAPAPAS			
PCO Accreditation No.:	2021-RVIII-0036	Date of Effectivity: April 8, 2022		
Phone/Fax:	09985683228/0917-8429229/832- 0010	Email: sptaclobanchapel@gmail.com		
2. PURPOSE OF INSPECTIO				
	•	ent pertaining to new permit applications,		
renewals, or modific New Renewal	cation	New Renewal		
PMPIN Application	an .	New Renewal		
Hazardous Waste				
	Transporter Registration			
Hazardous waste				
	e Air Pollution Control Installation			
Discharge Permit				
Others				
Determine compliance	a status with the anvironmental reg	ulations, permit conditions, and other		
	e status with the environmental reg	diacions, permit conditions, and other		
requirements				
☐ Investigate communit				
☐ Check status of volun				
Industrial Ecowat				
	nmental Partnership Program (PEPP)			
	ation Board (PAB)			
Others				
Others				
Name of Contact Person				
Position / Designation				

3. COMPLIANCE STATUS

3.1 DENR Permits/Licenses/Clearance

Environmental Law		Permits	Date of Issue	Expiry Date
	ECC1	ECC-R08-0903-016-9791	03-18-2009	
PD 1586	ECC2			
	ECC3			
	DENR Registry ID	OL-GR-R8-37-009075	11-26-2020	
RA 6969	PCL Compliance Certificate			
	CCO Registry			
	Permit to Transport			
RA 8749	POA No.	PTO-OL-R08-2022-02008-R	03-11-2022	03-11-2027
RA 9003	ECC for Sanitary Landfill			
RA 9275	DP No.	DP-R08-21-0193	03-29-2021	03-29-2022

4. Water Supply and Wastewater Gen	eration					
A. Water Sources						
Sources of Water Supply	Daily (m	³ /day)		Annu	al (m³/yr)	Specify if Others
Surface water (river, lakes, etc.)						
Groundwater deep well			(*)			
Water utilities Local Water District		18.69			6728.04	
Others (specify)						
B. Wastewater Sources						
Water Use / Sources of Wastewater	Consum	ed (m ³ /c	day)	Gene	rated (m³/day)	Specify if Others
Process Water						
Domestic Water					9.35	
Cooling Water						
Maintenance/washing					9.35	
Storm drain						
Others (specify)						
C. Quality of Abstracted Water						
Sources of Water Supply	BOD/ COD	TSS	AVFP	Heavy Metals		Specify if Others
					22.015	

5. Information on Wastewater Pollution	
A. Does the Establishment have a Wastewater	Ves
Treatment Plant?	□ No
B. What type of WWTP?	☐ Physical ☐ Biological ☐ Chemical ☐ Others
C. WWTP Detail	
1. Date Installed	
2. Design Capacity	
3. Cost of WWTP	
4. Annual Maintenance Cost (Php/year)	

5. Location of Discharge	e Point(s)		Receiving Wa	ter Body		Clas	sificatio	on of Water Body	
Septic Tank	- 1 51110(3)	,								
еристанк				V-weir			Othe	Other (specify)		
Elow Motoring Device	low Metering Device Use None			☐ Flow Meter				. (
				Influent		uent	Othe	ers (spe	cify)	
7. Flow Rate (per batch	h) Not De	etermined		illident		deric		C13 (5PC		
A. Components of					Chem	ical			Others	
Primary		logical	ci i				ctmont		Others	
Screening		Activated				sinfecti	stment			
Primary Treatment	1	Anaerobio		ion						
Grit Removal		Septic tan			Oxidation/Red					
Oil/Water Separato		Tricking Fi		5 1						
Equalization Tank				zation Pond	Ot	ners (s	pecify)			
Others (specify)		Sequencir	_	Reactor						
		Others (sp	pecity)_							
B. Condition of th										
1. What is the general of	condition	n of the W	/WTP	☐ Properly r						
during sampling?				Inadequat						
				Poor mair	ntenance	:				
				☐ Others						
2. Is the WWTP under o	construc	tion or		Yes						
undergoing rehabilitati				No						
3. If the answer is No. 2		has this b	een							
reported to EMB/LLDA										
4. Which System or uni	its are ur	nder								
construction or being r	modified	?								
5. Estimated date of co	mpletion	n								
6. Treatment units utili	ized to tr	eat waste	ewater							
Water Quality Field Da	ate									
Sampling Point No. 1										
Sampling Station		Lotto -				Samp	ling		AM/PM	
						Time:			<u> </u>	
Type of Sample										
Result Analysis										
							Compliant			
Parameter	Value	Unit		ENR Effluent		Ye	Yes No		Remarks	
			St	andards						
Information Summa	ary of the	e previou	s or rec	ent inspection	/samplin	ng:				
Date of Sampling:										
Sampling Station							Sampling	AM/P	PM	
							Time:	Alvijr		
Type of Sample	Ef	ffluent							with the second	
Result Analysis		1126						and and the		
							Compliant	:		
	V	Value Unit		DEN	R Effluer	nt	Yes	No	Remarks	
Parameter				Standards					T.C.II.di N.S	
Parameter				Juli						
Parameter			1.	Juli						
Parameter				Julia						
Parameter				Stan						

Legal	Compliance Requirements	(Compli	ant	Remarks		
Reference			Y N				
DAO 2005-10	1. Does the establishment pay the			٧	Zero discharge		
Rule 13.1	required wastewater charge?						
DAO 2005-10	2. Does the establishment have a	٧					
Rule 14.1	Discharge Permit?						
DAO 2005-10	3. Does the establishment pay the	V		-			
Rule 14.5	required discharge permit fee?						
DAO 2005-10	4. Is the permit available and valid?	V	-	1	DP is valid until March 29,2022		
Rule 14.9	4. 13 the permit available and valid.				Di is vana anti maren 25,2522		
DAO 2005-10	5. Do the discharge points correspond	V	-	+			
Rule 14.11	to those declared in the discharge			1000			
Nuie 14.11	permit?						
	6. Is the volume discharged within the	V	-	-			
	allowable volume declared in the	V					
	discharge permit?		-	-			
	7. Is the permit posted in a proper	٧					
	area?			-			
DAO 2005-10	8. Are the SMRs submitted quarterly	٧					
Rule 14.16	and on time?	-		-			
DAO 1990-35	9. Are the effluent parameters			V	Zero discharge		
Section 4-6	compliant with the standards in DENR						
	existing effluent standards?						
DAO 1990-35	10. Does the establishment comply			٧			
Section 8	with the additional requirements						
	stated in DAO 1990-35?						
DAO 1990-35	11. Are the pollution control facilities	V	+	-			
		V					
Section 9	properly and continuously operated?	-					
DAO 1990-35	12. Are the methods of analysis used			V	Zero discharge		
Section 10	for effluent samples in accordance						
	with the prescribed methods of the						
	Department?						
Other	13. Are the copies of water analysis			٧	Zero discharge		
Requirements	reports available?						
	14. Are the correspondence between	٧					
	the establishment and EMB						
	documented?						
	15. Are the establishment's	٧					
	compliance violations and						
	exceedances documented?						
	16. Are there any pending			V			
	litigation/PAB cases?						
	17. Are there spill prevention	V	1				
	contingency plans?	1					
	18. Are there spill containment	V	+	+			
	facilities available?						
	racintles available:			1			

Other Observations:

-St. Peter Life Memorial Homes (Visayas) Inc. was granted with an Environmental Compliance Certificate with reference code: ECC-R08-0903-016-9791 on March 18,2009 for the St. Peter Memorial Chapel Project located in Brgy. 56, Real St., Tacloban City which covers an area of 3,079 square meters.

- Self-Monitoring Report for the period covered 4th quarter CY 2021 was submitted on January 12,2022 thru the EMB Online System.
- -Under Module 2-RA 6969 of the submitted SMR, inventory of hazardous waste generated classified as M506- Busted bulb was reflected in the report.
- -Based on the Hazardous Waste Generator Registration Certificate issued, the following were the types of wastes generated; M501-Pathological or infectious waste; J201-containers previously toxic chemical substances; and waste electrical and electronic equipment (WEEE). Inventory of the said wastes were not included in the report.
- A Wastewater Discharge Permit issued is valid until March 29, 2022.

Remarks and Recommendation:

- Under EMB Memorandum Circular No. 2014-005, for project category under Columbarium and similar projects including funeral parlor and crematorium, which requires to secure an ECC shall have total/gross floor area of more than 1-hectare.
 A total/gross floor area of equal or less than 1-hectare is not covered by the EIS System, hence not required to secure an ECC and may secure a Certificate of Non-Coverage (CNC).
- Therefore, the St. Peter Memorial Chapel, which covers an area of 3,079 square meters is not covered by the EIS System. Hence, cancellation of the ECC issued is hereby recommended.
- To secure renewal of Wastewater Discharge Permit through the EMB Online System.
- To update Hazardous Waste Registration Certificate through the EMB Online System to include M506.
- To provide sufficient information on the inventory of the wastes generated.

List of Documents Reviewed:

Copy of ECC, DP & SMR

Submitted by:

JANETT. POLEA Engr. IV

Approved by:

FOR. MANUEL J. SACEDA, JR. OIC-Chief ENIED

Recommending Approval:

Engr. CARLOS A CAYANONG Chief, WAQMS

Noted by:

REMALDO B. BARRA, P



Republic of the Philippines Department of Environment and Natural Resources ENVIRONMENTAL MANAGEMENT BUREAU

Regional Office No. VIII

DENR 8 Compound, Brgy. 2, Jones Extension, Tacloban City



DISPOSITION FORM

Doc. Date: March 28, 2022

: R8-2022-009357

Company Name: ST. PETERLIFE MEMORIAL HOMES (VISAYAS),

INC.-TACLOBAN MEGA CHAPEL

Subject / Title: Compliance Inspection for Water Quality Management

TO: All Officials/Personnel Concerned:

Please accomplish and route this properly with the corresponding attached communication/documents. The Official or employee in-charge to whom this document is routed shall act promptly and expeditiously without discrimination as prescribed in the SECSIME or within fifteen (15) working days from receipt thereof, failure to do is punishable by LAW under RA 6713 and negligence to Memorandum Circular No. 44 issued by the Office of the President of the Philippines "Directing all Government Agencies and Instrumentalities, including government-owned or controlled corporations to respond to all public requests and concerns within 15 days (15 from the receipt thereof)

For strict compliance.

IIS No.

			ROUTED	realist and a second
BY (Official Code/ Sender Initial)	DATE (mm/dd/yy)	TO (Official Code/ Receiver Initial)	TIME (AM/PM)	ACTION REMARKS STATUS
Janet T. Polea	03/28/2022	Carlos A. Cayanong	11:25 AM	For initial/signature.
CAV	3-78	MS	1141	A. Two (2) units 41 HF Bion
CEMED	03 28 12	152 TORD 150	90KW diesel line	B. One (1) odi 1500 KVA/120
	red Boiler	me Diesel Oll Fi	giln High Press	C. One (1) unit 815KW/19994
C. EMEP	oshapr	V-Morastil	10:34pm	S
diiw (ii	ared Accreditati	I cum has an ext	nongrouporated	Bised on the evaluation, AERONN
		741.5077	Ososet Idau vin	reference SAT IVO. 2018-08 valid of
			rylannger	minimas Anatama cand
			PARAL HIGGS — C	HISHING LIB BUILD LINES
arli facilite	ntion allow inext	tonges softwar	n isdi yay gadi	that a life bloom are Towards, work at
		miss Linoissim	Plan for the Air	Approval of Source Emission Test
noission	a new Source En	induz ezetenit	Emission Testin	Regarding your concern of the Air
				Test Plan with Accordited Tenne
10.19	Vegitins.www.	theial website a	O VISILEMEN S C	Please be informed that you can als
TIA.	AF 1737 4005	00 81-8 (782) - (0)	12 DOUBLE 10	DRIENS VERNEL OF OUR SEASONS OF STREET

Use code for comment/instruction and desired action:

A - For information / guidance / reference

B - For comments / recommendations

C - Pls. take up with me

D - Pls. draft answer memo

E - Pls. appropriatte action

F - Pls. immediate investigation

G - Pls. Attach supporting papers

H - Pls. for approval

I - For initial/signature

J - For study/evaluation

K - Pls. release/file

L - Update stat of case

Important Reminder!

Do not tamper. Continue on separate sheet if necessary. Attach this always with the document to be routed as this shall form an integral part of the document process.