



Probability and Statistics

Week 4 Live Session

Dr. Pushpendra Gupta

Recap



- Chebyshev Inequality
- Distribution Analysis
- Data Visualization
- Choosing the Right "Average"

Today's Focus



- Recap
- Probability
- Conditional Probability
- Hands-on Visualization using Google Colab



What is Probability?



Probability measures how likely an event is to occur.

Expressed as a number between 0 and 1:

- ☐ 0: Impossible event
- ☐ 1: Certain event
- □ 0.5: Equal chance (e.g., coin flip)

Core Concept




$$P(A) = \frac{Number\ of\ Favorable}{Number\ of\ Possible\ Outcomes}$$

Experiment: Action with observable results (e.g., rolling a die).

Sample Space (S): All possible outcomes (e.g., {1,2,3,4,5,6} for a die).

Event (A): Subset of sample space (e.g., rolling an even number).

Favorable Outcome: Results that satisfy the event.



https://en.wikipedia.org/wiki/Sample_space

Simple Events: Rolling a Die



$$P(A) = \frac{Number\ of\ Favorable}{Number\ of\ Possible\ Outcomes}$$

Experiment: Roll a fair six-sided die.

Sample Space: {1, 2, 3, 4, 5, 6} (Total outcomes: 6).

We'll calculate probabilities for specific events.



Rolling Greater Than 4

BITS Pilani


DIGITAL

Excellence made yours


Event: Roll a number > 4.

Favorable Outcomes: {5, 6} (2 outcomes).

$$P(>4) = \frac{2}{6} = \frac{1}{3} \approx 0.3333 (33.33\%)$$



```
favorable_outcomes = 2
total_outcomes = 6
probability = favorable_outcomes / total_outcomes
print(f"Probability: {probability}")
```



Rolling an Even Number or Rolling <=3



Event: Roll an even number.

Favorable Outcomes: {2, 4, 6} (3 outcomes).

$$P(even) = \frac{3}{6} = \frac{1}{2} \approx 0.5 (50\%)$$

Event: Roll a number ≤ 3

Favorable Outcomes: {1, 2, 3} (3 outcomes).

$$P(\le 3) = \frac{3}{6} = \frac{1}{2} \approx 0.5 (50\%)$$

Probability of 1 to 6



Event: Roll a number between 1 and 6 (inclusive).

Favorable Outcomes: {1, 2, 3, 4, 5, 6} (6 outcomes).

$$P(1 \text{ to } 6) = \frac{6}{6} = 1 \text{ (100\%)}$$

Part B – Probability Using Combinations



Use combinations for selecting items (when order does not matter)

$$C(n,r) = C_r^n = {n \choose r} = \frac{n!}{r!(n-r)!}$$

C(5,2) = 10 meaning there are 10 ways to choose 2 from 5.

Drawing Colored Balls



Bag: 5 red balls + 3 blue balls (Total: 8)

Event: Draw 2 balls at random. Probability both red?

Total ways: C(8,2) = 28.

Favorable C(5,2) = 10.

R1

R2

R1 R3

R1 R4

R1 R5

$$P(both\ red) = \frac{10}{28} = \frac{5}{14} \approx 0.3571\ (35.71)$$

R2 R3 R2 R4 R2 R5

R4

R4 R5

R3

Conditional Probability



Conditional probability is the probability of an event occurring given that another event has already occurred. We write this as

$$P(A|B)$$
,

which reads as "the probability of A given B."

$$P(A|B) = \frac{P(A \text{ and } B)}{P(B)}$$

Imagine a basket contains 10 pieces of fruit:

- 2 Red Apples
- 3 Green Apples
- 1 Green Banana
- 4 Yellow Bananas

Total: 10 fruits

Question 1: What is the probability of picking an apple?

P(Apple) = Number of Apples / Total Fruits

- = (2 + 3) / 10
- = 5/10
- = 0.5 or 50%


There's a 50% chance of picking an apple.





Question 1: What is the probability of picking an apple?

P(Apple) =
$$\frac{5}{10}$$
 = 0.5 or 50%




Method 1: Now we only consider GREEN fruits: 3 Green Apples and 1 Green Banana

Total Green Fruits: 4

P(Apple | Green)
= Number of Green Apples / Total Green Fruits
= 3 / 4 = 0.75 or 75%





Question 1: What is the probability of picking an apple?

$$P(Apple) = 50\%$$

Question 2: Now You Know It's Green! Now, what is the probability that it's an apple?

Method 1: P(Apple | Green) = $\frac{3}{4}$ = 75%

Method 2: Using Bayes' $P(A|B) = P(A \cap B) / P(B)$ Where:

A =Picking an Apple

B = Picking a Green fruit


 $A \cap B =$ Picking a Green Apple

 $P(A \cap B) = P(Green Apple) = 3/10 = 0.3$

P(B) = P(Green fruit) = (3 + 1)/10 = 4/10 = 0.4

P(A|B) = 0.3 / 0.4 = 3/4 = 0.75 or 75%





Question 1: What is the probability of picking an apple?

P(Apple) = 50%

Question 2: Now You Know It's Green! Now, what is the probability that it's an apple?

Method 1: P(Apple | Green) = $\frac{3}{4}$ = 75%

Method 2: Using Bayes' $P(A|B) = P(A \cap B) / P(B)$

P(A|B) = 0.3 / 0.4 = 3/4 = 0.75 or 75%

Before knowing the color: P(Apple) = 50%

After knowing it's green: P(Apple | Green) = 75%

The probability **INCREASED** from 50% to 75%!

Why? Because green apples are more common than green bananas in our basket. The information "it's green" makes it MORE likely to be an apple.







Question 1: What is the probability of picking an apple?

P(Apple) = 50%

Question 2: Now You Know It's Green! Now, what is the probability that it's an apple?

P(Apple | Green) = $\frac{3}{4}$ = 75%

The Power of Conditional Probability:

New information can INCREASE probabilities (apples became more likely-from 50% to 75%)

New information can DECREASE probabilities (bananas became less likely-from 50% to 25%)

Example



You ask your neighbor to water a sickly plant while you are on vacation. Without water, it will die with probability 0.8; with water, it will die with probability 0.15. You are 90 percent certain that your neighbor will remember to water the plant.

- a. What is the probability that the plant will be alive when you return?
- b. If it is dead, what is the probability your neighbor forgot to water it?"

Given Information:

```
P(plant dies | no water) = 0.8
```

P(neighbor remembers to water) =
$$0.9$$

Therefore, P(neighbor forgets) = 0.1

Part (a)



a. What is the probability that the plant will be alive when you return?

We need to find P(plant survives).

Step 1: Identify the scenarios

The plant can survive in two ways:

- Neighbor remembers AND plant survives with water
- Neighbor forgets AND plant survives without water

Part (a)



a. What is the probability that the plant will be alive when you return?

Step 2: Calculate probabilities

If watered: $P(survives \mid watered) = 1 - 0.15 = 0.85$

If not watered: P(survives | no water) = 1 - 0.8 = 0.2

Step 3: Use law of total probability

P(*survives*)

- $= P(survives \mid watered) \times P(watered) + P(survives \mid not watered) \times P(not watered)$
- $= (0.85 \times 0.9) + (0.2 \times 0.1)$
- = 0.765 + 0.02
- = 0.785 or 78.5%

Part (b)



If the plant is dead, what is the probability your neighbor forgot to water it?

We need to find P(forgot | dead). This is a Bayes' theorem problem.

Step 1: Use Bayes' theorem: P(forgot | dead) = P(dead | forgot) × P(forgot) / P(dead)

Step 2: Find P(dead)

P(dead) = 1 - P(survives) = 1 - 0.785 = 0.215

Or calculated directly:

```
P(dead)
= P(dead \mid watered) \times P(watered) + P(dead \mid not watered) \times P(not watered)
P(dead) = (0.15 \times 0.9) + (0.8 \times 0.1)
P(dead) = 0.135 + 0.08 = 0.215
```

Part (b)



If the plant is dead, what is the probability your neighbor forgot to water it?

```
Step 3: Calculate P(forgot | dead)
```

$$P(forgot | dead) = (0.8 \times 0.1) / 0.215$$

$$P(forgot | dead) = 0.08 / 0.215$$

P(forgot | dead) = 0.372 or 37.2% (approximately 16/43)

Answers

- a) Probability plant is alive: 0.785 or 78.5%
- b) Probability neighbor forgot (given plant is dead): 0.372 or 37.2%

Even though the plant is dead, there's only a 37.2% chance the neighbor forgot. Why? Because the neighbor remembers 90% of the time, and even when watered, the plant still has a 15% chance of dying. So most of the time when the plant dies, it's actually because it died despite being watered, not because the neighbor forgot.

How to draw Conclusions/Insights



Suppose I am getting the following answer related to example shown during recorded session on Probability of cancer.

P(cancer) = 0.70

P(cancer | elevated PSA) = 0.822 or 82.2%

P(cancer | normal PSA) = 0.664 or 66.4%

What is the insight from the result?

If the test shows elevated PSA, the probability of cancer increases from 70% to 82.2%. If the test shows normal PSA, the probability of cancer decreases from 70% to 66.4%, but it's still quite high! This demonstrates why the PSA test is considered **unreliable**. Even with a normal test result, there's still a 66.4% chance of cancer in this case. The test provides some information but doesn't dramatically change the probability either way.



Thank You

The content provided in this digital training programme has been developed by professors / external vendors. All intellectual property rights in the content, including but not limited to video, text, slides, graphics, and audio materials, are owned exclusively by BITS Pilani ("BITS"), unless otherwise expressly stated. This programme may also include licensed or contributed works from third-party experts, faculty, and collaborating institutions, all of whom are duly acknowledged where appropriate.

All product names, logos, brands, and entity names referenced within this content are the property of their respective trademark owners. The inclusion of such names, logos, or brands does not imply any affiliation with, or endorsement by, these entities.

This material is intended solely for personal learning and academic purposes. Except for content that is explicitly confirmed to be in the public domain, no part of this content may be reproduced, copied, modified, distributed, republished, uploaded, posted, publicly displayed, or transmitted in any form or by any means – electronic, mechanical, photocopying, recording, or otherwise – without the prior express written consent of BITS Pilani or the applicable rights holder.

Any unauthorized use, commercial exploitation, resale, or public sharing of this content in any manner constitutes a violation of applicable intellectual property laws. BITS Pilani reserves the right to pursue all appropriate legal remedies, including but not limited to civil action and criminal prosecution under the Copyright Act, 1957, and other relevant statutes in force in India.

By accessing or using this digital training programme, you agree to comply with the terms set forth in this disclaimer.