


K-Meter

Free implementation of a K-System meter
according to Bob Katz' specifications



© 2010 Martin Zuther and contributors

Contents

1	The loudness race	4
2	The K-System	4
3	Installation of K-Meter	6
4	Controls	6
4.1	Meter selection	6
4.2	Peak hold	7
4.3	Peak meter	7
4.4	Expand meter	8
4.5	Mono switch	8
4.6	Reset	9
4.7	About	9
4.8	License	10
5	Meters	10
5.1	K-System meter	10
5.2	Overload counter	11
5.3	Maximum peak	11
5.4	Correlation meter	12
5.5	Stereo meter	12
6	Final words	13
7	How to build K-Meter	13
7.1	premake	14
7.2	premake4	14
7.3	Fastest Fourier Transform in the West	14

Contents

7.4	JUCE library	15
7.5	Virtual Studio Technology SDK (VST)	16
7.6	Building on GNU/Linux	17
7.7	Building on Microsoft Windows	18

1 The loudness race

When comparing two similar pieces of music, the louder one is perceived as sounding better (although this is only true for short periods of time). Accordingly, the loudness of music productions has continuously grown during the last decades.

As maximum levels of records, tapes and digital media are limited, however, mastering engineers have started using sophisticated dynamic compression techniques to achieve higher loudness without distorting the music (as of 2010, distortion is increasingly being used in order to achieve even higher loudness).

Unfortunately, this decrease in dynamic range does not leave the music unharmed. Current compressed music blasts away your ears and makes you turn down the volume of your amplifier. Having lowered the volume, you'll find that the "better-sounding" compressed music suddenly sounds pretty dull and boring compared to uncompressed music. In contrast, music with high dynamic range makes you turn up the volume – heck, it even sounds better when broadcast on the radio!

2 The K-System

The K-System has been devised by mastering engineer Bob Katz in order to counteract the ongoing loudness race and

to help adjusting the levels of different songs during mastering. K-System meters are average level meters that do **not** have 0 dB on top. Instead, 0 dB on K-System meters relate to a reference loudness. There are three K-System scales:

- K-20 (0 dB at -20 dBFS, recommended)
- K-14 (0 dB at -14 dBFS)
- K-12 (0 dB at -12 dBFS)

Using the K-System is easy. Just calibrate your monitor system so that pink noise (-20 dBFS RMS, 20 Hz to 20 kHz; see the K-Meter source code for a FLAC-compressed wave file) on one channel yields 83 dB SPL on a loudness meter set to *C-weighted, slow*. Then mark the monitor's gain position as "K-20".

When your mixes or masters seem to have just the right loudness, they should now yield 0 dB on a K-20 meter.

In case you want to use the K-14 meter, attenuate the monitor gain by 6 dB or repeat the above process so that pink noise yields 77 dB SPL. For K-12, attenuate the monitor gain by another 2 dB (pink noise should yield 75 dB SPL).

For more information about the K-System, please see [Bob's website](#).

3 Installation of K-Meter

In order to use the pre-compiled binaries, please install the “Fastest Fourier Transform in the West” library first (see [their website](#) for instructions).

When you’re done, simply extract the K-Meter files from the downloaded archive. For the VST plug-in, you’ll then have to move the extracted files to your plug-in folder (~/.vst, C:\ProgramFiles\Steinberg\VstPlugins\ or the like).

4 Controls

4.1 Meter selection

You can select the different K-System meter scales (**K-20**, **K-14** and **K-12**) by clicking on these radio buttons.



In the rare case you want to use the meter in a mixer’s channel strip, click the **Normal** button (0 dBFS on top). Please note, however, that the **Normal** state will be neither saved, nor recalled in your DAW and the standalone version. This is by design – the K-System meter has been explicitly designed to **not** have 0 dBFS on top!

4.2 Peak hold

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



4.3 Peak meter

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



4.4 Expand meter

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



4.5 Mono switch

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



4.6 Reset

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



4.7 About

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



4.8 License

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



5 Meters

5.1 K-System meter

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt

ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

5.2 Overload counter

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



5.3 Maximum peak

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

5.4 Correlation meter

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.



5.5 Stereo meter

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea



takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

6 Final words

I love to hear from people who use my applications. So if you can spare the time, have any suggestions or want to create a nice theme, head over to my website www.mzuther.de and drop me an email!

Finally, thanks for using free software. I hope you'll enjoy this experience ...

7 How to build K-Meter

To build K-Meter yourself, you'll first have to install the dependencies listed below. To compile on 64-bit GNU/Linux operating systems, you'll also have to install the multilib files for g++ (Debian package: g++-multilib).

7.1 premake

Importance: required

Version: 3.7

License: GPL v2

Homepage: premake.sourceforge.net

7.2 premake4

Importance: required

Version: 4.3

License: GPL v2

Homepage: industriousone.com/premake

7.3 Fastest Fourier Transform in the West

Importance: required

Version: 3.2.2

License: GPL v2

Homepage: www.fftw.org

7.3.1 Installation on GNU/Linux

Extract the archive into the directory `libraries/fftw3`, change into this directory and run:

```
./configure --enable-float CC="gcc -m32"  
make  
mkdir bin/  
mv .libs/* bin/
```

7.3.2 Installation on Microsoft Windows

Extract the source code archive into the directory `libraries/fftw3` and the archive containing the pre-compiled binaries into the directories `libraries/fftw3/bin` and `%SystemDirectory%` (usually `C:\WINDOWS\system32\`).

7.4 JUCE library

Importance: required

Version: 1.51

License: GPL v2

Homepage: www.rawmaterialsoftware.com/juce.php

7.4.1 Installation on GNU/Linux

Extract the archive into the directory `libraries/juce`, change into the directory `libraries/juce/build/linux/` and edit the following lines in `juce_premake.lua` (please remove the backslash characters and the corresponding line breaks):

```
package.config["Debug"].target = "juce_debug32"
package.config["Release"].target = "juce32"

package.config["Debug"].buildoptions = \
{ "-D_DEBUG -ggdb -Wall -fPIC -m32" }
package.config["Release"].buildoptions = \
{ "-fvisibility=hidden -fPIC -m32" }
```

Finally, run:

```
chmod +x runpremake
./runpremake
make CONFIG=Debug
make CONFIG=Release
```

7.4.2 Installation on Microsoft Windows

Extract the archive into the directory `libraries/juce` and compile the library.

7.5 Virtual Studio Technology SDK (VST)

Importance: optional
Version: 2.4
License: proprietary
Homepage: ygrabit.steinberg.de

7.5.1 Installation on GNU/Linux

Extract the archive into the directory `libraries/vstsdk2.4.`

7.5.2 Installation on Microsoft Windows

Extract the archive into the directory `libraries/vstsdk2.4.`

7.6 Building on GNU/Linux

After preparing the dependencies, change into the directory `build` and run

```
./run_premake  
make config=CFG TARGET
```

where `CFG` is one of `debug32` and `release32`, and `TARGET` is one of `linux_standalone` and `linux_vst`. The compiled binaries will end up in the directory `bin`.

7.7 Building on Microsoft Windows

After preparing the dependencies, change into the directory `build/windows/vs_2010`, open `kmeter.sln` with Visual C++ 2010 and build the project. The compiled binaries will end up in the directory `bin`.