

Multi-CA and CA Rollover Capability

Planning for truly continuous CA operation

2005-10-18 – Martin Bartosch

What's this all about?

- Multi-CA support
 - support of multiple different CA "realms"
- CA Rollover support
 - service continuity regardless of CA certificate validity
- prevent need for absurd CA certificate lifetimes

Multi-CA Support

- Why use multiple CAs?
 - different "name spaces" (e. g. customers)
 - organizational separation
 - different CP/CPS
- OpenCA currently supports one single CA per instance
- Multiple installations on one system require
 - separate web frontends
 - separate databases

Multi-CA Support

- Next release will provide Multi-CA support
 - more than one CA can be configured
- users will be able to choose CA on the login page
- alternative: select the desired CA by URL
- completely separated name space for certificates, requests, CRLs etc.


Overview

Visible OpenCA Server Interface from the **Employee CA Customer CA** Server CA outside Operative Employee CA 1 CAs Server CA 1 **Customer CA 1 Common Database CA Rollover** Multiple CAs with


overlapping validity

support

For any CA there is one point after which no new certificate with the full desired lifetime can be issued



Provide a CA certificate with overlapping validity that takes over after this point



One externally visible CA may consist of one or more internal operative CAs

User requests to a CA are automatically dispatched to the responsible operative CA

Decision based on CA certificate validity

- Rollover handling for CA operations
 - Certificate issuance
- Certificate renewal
- Certificate revocation
- CRL issuance

Dispatching Certificate Issuance

- Determine valid operative CA candidates
- CA enabled in configuration
- CA is valid now
- requested certificate fully fits into CA lifetime
- From remaining CAs pick the one with highest NotBefore date
- Process certificate request in this CA

Dispatching Certificate Renewal

- Identify original certificate to renew
- Reject request if not found or two valid certificates alread exist
- Determine certificate validity for renewed certificate
- Dispatch Certificate Request to issuing CA (may roll over)

Dispatching Certificate Revocation

Determine CA that issued the certificate in the first place

Revoke certificate in this CA

Dispatching CRL Issuance


- Determine valid operative CA candidates
 - CA enabled in configuration
 - CA is valid now

Create CRLs for all identified CAs

Operational Issues: Administration


Issuing CA certificates can be created in advance

No real technical or operational need for this



Operational Issues: Distribution

CA certificate distribution happens implicitly for subordinate CAs




Operational Issues: Root Certificate Distribution is critical

Must be carefully planned and prepared

Root Certificates

must be created
in advance

Provide ample time for distribution



Operational Issues: Root Certificate Distribution - Security Considerations

- Root Certificate distribution should ideally happen manually
 - Automated processes are possibly a security problem
 - Rogue certificates might be injected

Operational Issues: Root Certificate Distribution

- Ideas for automatic Root Certificate deployment
- Let clients poll Root Certs from directory/web server
- Once a new Root Cert is found, copy it into quarantine area
- Accept Root Cert if the same certificate is still present after e. g. 10 days
- Requires security monitoring of directory/web server

Thanks for your attention!

Martin Bartosch



Cynops GmbH

info@cynops.de

Kirchgasse 10c 61449 Steinbach (Taunus)

T (+49) 0 61 71.6 98 18 03

F (+49) 0 61 71.6 98 18 09

http://www.cynops.de/