pointer:0x9b2ec70

root node

```
SgNode* p_parent : 0x9ad03b0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_file_info : 0x9b463b0
SgGlobal* p_root : 0x9b54e38
std::list<std::string> p_originalCommandLineArgumentList:
int p_verbose : 0
bool p_C_only : 0
bool p_C99_only : 0
bool p_skip_transformation : 0
bool p_skip_unparse : 0
bool p unparse includes: 0
bool p_skipfinalCompileStep : 0
std::string p_sourceFileNameWithPath : TestCases/AliasTests/alias1.c
std::string p_sourceFileNameWithoutPath : alias1.c
std::string p_unparse_output_filename :
bool p_useBackendOnly : 0
bool p_compileOnly : 0
std::string p_savedEdgCommandLine : ./CtoOA TestCases/AliasTests/alias1.c
bool p_no_implicit_templates : 0
bool p_no_implicit_inline_templates : 0
bool p_skip_commentsAndDirectives: 0
bool p_collectAllCommentsAndDirectives: 0
ROSEAttributesListContainerPtr p_preprocessorDirectivesAndCommentsList: 0x9d10400
AstAttributeMechanism* p_attributeMechanism : 0 bool p_KCC_frontend : 0 bool p_new_frontend : 0 bool p_travTraceToDOT : 0
bool p_disable_edg_backend : 0
bool p_disable_sage_backend : 0
int p_testingLevel : -1
bool p_preinit_il : 0
bool p_enable_cp_backend : 0
bool p_outputGrammarTreeFiles : 0
bool p_outputGrammarTreeFilesForHeaderFiles: 0
bool p_outputGrammarTreeFilesForEDG: 0
```

pointer:0x9b54e38

Click here to go to the parent node

SgNode* p_parent : 0x9b2ec70
bool p_isModified : 0
\$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b463e8
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x9b5fa20
SgDeclarationStatementPtrList p_declarations : [0x9b71708, 0x9b71768, 0x9b717c8, 0x9b71828, 0x9b71888, 0x9b718e8, 0x9b71990, 0x

pointer:0xb7eb1490

bool p_isModified : 0

Click here to go to the parent node

SgNode* p_parent : 0x9b54e38

```
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a358
Sg_File_Info* p_endOfConstruct : 0x9b4a390
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFF
bool p_nameOnly : 0
bool p_nemeOnly : 0
bool p_skipElaborateType : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7eb1490
SgDeclarationStatement* p_firstNondefiningDeclaration : 0
SgName p_name : "main"
SgFunctionParameterList* p_parameterList : 0xb7e75f0c
SgFunctionModifier p_functionModifier : FTFFF
SgSpecialFunctionModifier p_specialFunctionModifier : FTFFF
SgSpecialFunctionModifier p_specialFunctionModifier : FTFFF
SgSpecialFunctionDefinition * p_definition : 0x9ca0ad8
bool p_oldStyleDefinition : 0
SgScopeStatement* p_scope : 0x9b54e38
SgDeclarationStatement::template_specialization_enum p_specialization : 1
```

pointer:0xb7e75f0c

```
SgNode* p_parent : 0xb7eb1490
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a3c8
Sg_File_Info* p_endOfConstruct : 0x9b4a400
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
unsigned int p_decl_attributes : 0
char* p_linkage :
SgDeclarationModifier p_declarationModifier : FTFFFF
bool p_nameOnly : 0
bool p_forward : 0
bool p_externBrace : 0
bool p_skipElaborateType : 0
bool p_need_name_qualifier : 0
SgDeclarationStatement* p_definingDeclaration : 0xb7e75f0c
SgDeclarationStatement* p_args : []
```

pointer:0x9ca0ad8

Click here to go to the parent node

SgNode* p_parent : 0xb7eb1490
bool p_isModified : 0
\$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a358
Sg_File_Info* p_endOfConstruct : 0x9b4a438
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x9b5fa54
SgBasicBlock* p_body : 0x9caa8c8

pointer:0x9caa8c8

```
SgNode* p_parent : 0x9ca0ad8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a4e0
Sg_File_Info* p_endOfConstruct : 0x9b4a518
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgSymbolTable* p_symbol_table : 0x9b5fa88
SgStatementPtrList p_statements : [0x9cb55e8, 0x9cb5618, 0x9cb5648, 0x9cb5660, 0x9cb5678, 0x9cb5690, 0x9cb56a8]
```

pointer:0xb7dd10fc

```
SgNode* p_parent: 0x9caa8c8
bool p_isModified: 0
$CLASSNAME * p_freepointer: 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable: 0x9d07598
Sg_File_Info* p_startOfConstruct: 0x9b4a5f8
Sg_File_Info* p_endOfConstruct: 0x9b4a630
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
unsigned int p_decl_attributes: 0
char* p_linkage:
SgDeclarationModifier p_declarationModifier: FFFFF
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_externBrace: 0
bool p_need_name_qualifier: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb7dd10fc
SgInitializedNamePtrList p_variables: [0x9cb55d0]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
```

pointer:0x9c02f9c

```
SgNode* p_parent : 0xb7dd10fc
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_file_info : 0x9b4a668
SgName p_name : "loc"
SgType* p_typeptr : 0x9c27100
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0xb7d970f4
SgStorageModifier* p_storageModifier : 0x9c16604
SgScopeStatement* p_scope : 0x9caa8c8
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0xb7dd11f0

```
SgNode* p_parent: 0x9caa8c8
bool p_isModified: 0
$CLASSNAME * p_freepointer: 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable: 0x9d07598
Sg_File_Info* p_startOfConstruct: 0x9b4a6d8
Sg_File_Info* p_endOfConstruct: 0x9b4a710
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
unsigned int p_decl_attributes: 0
char* p_linkage:
SgDeclarationModifier p_declarationModifier: FFFFF
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_externBrace: 0
bool p_need_name_qualifier: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb7dd11f0
SgInitializedNamePtrList p_variables: [0x9cb5600]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
```

pointer:0x9c02ff0

```
SgNode* p_parent : 0xb7dd11f0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_file_info : 0x9b4a748
SgName p_name : "a"
SgType* p_typeptr : 0x9c31ce8
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0xb7d971e0
SgStorageModifier* p_storageModifier : 0x9c16618
SgScopeStatement* p_scope : 0x9caa8c8
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0xb7dd12e4

```
SgNode* p_parent: 0x9caa8c8
bool p_isModified: 0
$CLASSNAME * p_freepointer: 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable: 0x9d07598
Sg_File_Info* p_startOfConstruct: 0x9b4a7b8
Sg_File_Info* p_endOfConstruct: 0x9b4a7f0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
unsigned int p_decl_attributes: 0
char* p_linkage:
SgDeclarationModifier p_declarationModifier: FFFFF
bool p_nameOnly: 1
bool p_forward: 0
bool p_externBrace: 0
bool p_externBrace: 0
bool p_need_name_qualifier: 0
SgDeclarationStatement* p_definingDeclaration: 0
SgDeclarationStatement* p_firstNondefiningDeclaration: 0xb7dd12e4
SgInitializedNamePtrList p_variables: [0x9cb5630]
bool p_variableDeclarationContainsBaseTypeDefiningDeclaration: 0
SgDeclarationStatement::template_specialization_enum p_specialization: 1
```

pointer:0x9c03044

```
SgNode* p_parent : 0xb7dd12e4
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_file_info : 0x9b4a828
SgName p_name : "b"
SgType* p_typeptr : 0x9c31ce8
SgInitializer* p_initptr : 0
SgInitializedName* p_prev_decl_item : 0
bool p_is_initializer : 1
SgDeclarationStatement* p_declptr : 0xb7d972cc
SgStorageModifier* p_storageModifier : 0x9c1662c
SgScopeStatement* p_scope : 0x9caa8c8
SgInitializedName::preinitialization_enum p_preinitialization : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
AstAttributeMechanism* p_attributeMechanism : 0
```

pointer:0x9cddaa8

Click here to go to the parent node

SgNode* p_parent : 0x9caa8c8
bool p_isModified : 0
\$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4aa20
Sg_File_Info* p_endOfConstruct : 0x9b4a898
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgExpressionRoot* p_expression_root : 0x9ce6750

pointer:0x9ce6750

```
SgNode* p_parent : 0x9cddaa8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a8d0
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_operand_i : 0x9ccffb8
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0
```

pointer:0x9ccffb8

```
SgNode* p_parent: 0x9ce6750
bool p_isModified: 0
$CLASSNAME * p_freepointer: 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable: 0x9d07598
Sg_File_Info* p_startOfConstruct: 0x9b4a8d0
Sg_File_Info* p_endOfConstruct: 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 1
SgQualifiedNamePtrList p_qualifiedNameList: []
SgExpression* p_lhs_operand_i: 0x9cb68f0
SgExpression* p_rhs_operand_i: 0x9cc24f0
SgType* p_expression_type: 0
```

pointer:0x9cb68f0

```
SgNode* p_parent : 0x9ccffb8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a908
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 1
SgQualifiedNamePtrList p_qualifiedNameList : []
SgVariableSymbol* p_symbol : 0x9c9aba0: varsym a declared at 0x0x9c02ff0
```

pointer:0x9cc24f0

```
SgNode* p_parent : 0x9ccffb8
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a978
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_Ivalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_operand_i : 0x9cb6920
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0
```

pointer:0x9cb6920

```
SgNode* p_parent : 0x9cc24f0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4a9b0
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgVariableSymbol* p_symbol : 0x9c9ab88: varsym loc declared at 0x0x9c02f9c
```

pointer:0x9cddacc

Click here to go to the parent node

SgNode* p_parent : 0x9caa8c8
bool p_isModified : 0
\$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4ac18
Sg_File_Info* p_endOfConstruct : 0x9b4aa90
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgExpressionRoot* p_expression_root : 0x9ce6788

pointer:0x9ce6788

```
SgNode* p_parent : 0x9cddacc
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4aac8
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_operand_i : 0x9ccfff0
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0
```

pointer:0x9ccfff0

```
SgNode* p_parent : 0x9ce6788
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4aac8
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 1
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_lhs_operand_i : 0x9cb6950
SgExpression* p_rhs_operand_i : 0x9cc2528
SgType* p_expression_type : 0
```

pointer:0x9cb6950

```
SgNode* p_parent : 0x9ccfff0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4ab00
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 1
SgQualifiedNamePtrList p_qualifiedNameList : []
SgVariableSymbol* p_symbol : 0x9c9abb8: varsym b declared at 0x0x9c03044
```

pointer:0x9cc2528

```
SgNode* p_parent : 0x9ccfff0
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4ab70
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 1
bool p_Ivalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_operand_i : 0x9cb6980
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0
```

pointer:0x9cb6980

```
SgNode* p_parent : 0x9cc2528
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4aba8
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgVariableSymbol* p_symbol : 0x9c9ab88: varsym loc declared at 0x0x9c02f9c
```

pointer:0x9cf4420

Click here to go to the parent node

SgNode* p_parent : 0x9caa8c8
bool p_isModified : 0
\$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4acf8
Sg_File_Info* p_endOfConstruct : 0x9b4ac88
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
SgExpressionRoot* p_expression_root : 0x9ce67c0

pointer:0x9ce67c0

```
SgNode* p_parent : 0x9cf4420
bool p_isModified : 0
$CLASSNAME * p_freepointer : 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable : 0x9d07598
Sg_File_Info* p_startOfConstruct : 0x9b4ad68
Sg_File_Info* p_endOfConstruct : 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr : 0
AstAttributeMechanism* p_attributeMechanism : 0
bool p_need_paren : 0
bool p_lvalue : 0
SgQualifiedNamePtrList p_qualifiedNameList : []
SgExpression* p_operand_i : 0x9c80484
SgType* p_expression_type : 0
SgUnaryOp::Sgop_mode p_mode : 0
```

pointer:0x9c80484

```
SgNode* p_parent: 0x9ce67c0
bool p_isModified: 0
$CLASSNAME * p_freepointer: 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable: 0x9d07598
Sg_File_Info* p_startOfConstruct: 0x9b4ad68
Sg_File_Info* p_endOfConstruct: 0
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0
bool p_need_paren: 0
bool p_lvalue: 0
SgQualifiedNamePtrList p_qualifiedNameList: []
SgExpression* p_valueExpressionTree: 0
int p_value: 0
```

pointer:0x9cfd118

Click here to go to the parent node

SgNode* p_parent: 0x9caa8c8
bool p_isModified: 0
\$CLASSNAME * p_freepointer: 0xffffffff
static SgFunctionTypeTable* p_globalFunctionTypeTable: 0x9d07598
Sg_File_Info* p_startOfConstruct: 0x9b4ada0
Sg_File_Info* p_endOfConstruct: 0x9b4add8
AttachedPreprocessingInfoType* p_attachedPreprocessingInfoPtr: 0
AstAttributeMechanism* p_attributeMechanism: 0