

Northeast Tennessee Reach Directory Data Model

The structure the whole site rests on: what a listing is, how coverage differs from an address, and how meetings are held. Written to be read before any code is built, because changing it afterwards means redoing the import, the queries and the admin at once.

Prepared by Silvia Barros · Bandida Tech Pte. Ltd. Source UID master, 30 July 2026 · 387 rows
Target PostgreSQL 15+ / PostGIS 3 (Supabase)

01 In one page

The spreadsheet has one row per *listing-in-a-category*. The database has one row per *real-world thing*: an organisation, a place, a county, a meeting. Everything else follows from that.

Four ideas do the work:

- **An organisation is the thing being listed.** It can belong to more than one category, operate from more than one address, and keep several contacts.
- **A place is separate from the organisation that uses it.** Places are shared — a church hall in Johnson City hosts fifteen different meetings.
- **Coverage is separate from address.** Every listing has zero or one address and zero or more counties it serves. A programme with no office is then an ordinary row, not a special case.
- **A meeting is an event series held at a place,** with its own recurring schedule — so one venue can host many, and one meeting can sit at several times in the week.


Everything arriving from the public — a new listing, an update to an existing one, and a “this information is wrong” report from a listing page — lands in one submissions queue. They differ only in how much of the form is filled in and they end in the same decision by the same person, so there is one queue to watch rather than two.

Taxonomy, plain-language labels, synonyms and meeting attributes are all stored as data, not written into the code. Adding “Suboxone” as a search term, or renaming a category, is a row someone edits in Directus — no developer, no deploy.

387 source rows imported — none lost	318 organisations, once duplicates were merged	263 distinct places — shared venues resolved to one	183 meeting sittings recovered from free text	11 rows where the source contradicts itself and you decide
---	--	---	---	--

Underneath sits a **19-table** structure: seven for the things themselves — organisations, places, contacts, meetings — and the rest are the editable lists and the links between them. The database enforces **153 rules** of its own, so a meeting can’t be saved without a day and a time and a listing can’t point at a county that doesn’t exist; bad data is refused rather than merely discouraged. Nothing unpublished can be read from the public site.

02 The model



03 Three decisions worth your sign-off

01 A meeting is an event series, not an organisation

134 of the 387 source rows are mutual-aid meetings — a third of the directory. They behave differently from services: they recur at times rather than opening at hours, one venue hosts many, and one meeting may sit several times a week. So a meeting series and its schedule are their own tables, and a series with three sittings has three schedule rows.

The **Additional Information** column turned out to be structured, not prose. **129 of 136 parsed cleanly into 161 day/time slots with no misses**, including “Tuesdays at 1:30 PM, Thursdays at 8:30 AM, & Saturdays at 4:00 PM” and “1st, 3rd, & 5th Thursdays”. Field names follow the TSML / Meeting Guide format AA intergroups already use, so meeting lists can be imported and exported rather than retyped.

It also yields a real attribute vocabulary — Open (69), Handicap Accessible (60), Discussion (46), Closed (14), Women Only (7) — which the spreadsheet has no column for and which becomes a usable filter.

02 Coverage and address are separate concerns

You asked how the address-less records differ structurally from pinned ones. The answer is that they don’t — and that is the point. Every listing has zero or one address and zero or more counties it serves. A treatment centre has both: a pin, and the counties it takes referrals from. ROPS has coverage and no pin. Modelling the address-less rows as an exception would have needed a special case in every query.

The reason this matters beyond tidiness: **Lifeline Peer Project must not be merged to one phone number.** Each of its nine county rows names a different peer specialist — Jeremiah Lovelady covers Greene, Hawkins, Sullivan and Unicoi; Jennifer Street covers Carter and Johnson; Lea Wilson covers Cocke and Hancock; James Raymond covers Hamblen. So `service_areas` carries an optional contact, and “who covers my county” stays answerable.

Counties are keyed by 5-digit FIPS rather than by name, because Bristol straddles the state line and both states have a Washington County. The table is not limited to the NETN ten: the Fourth Judicial District Recovery Court serves Grainger, Jefferson and Sevier.

03 A place does not belong to a listing

This is the one change I did not anticipate before opening the data. Locations have no owning organisation column; which organisations operate at a place is a relationship. Two reasons, both in your data.

41 addresses host more than one distinctly-named organisation. 513 E Unaka Ave, Johnson City has a recovery community centre plus fifteen different meetings; 208 E. Unaka Ave. has five Frontier Health programmes. And **17 organisations operate from several addresses** — ReVida Recovery Center in four cities, Recovery Resources Recovery Living at ten.

Tying each location to one listing would have duplicated that venue fifteen times, geocoded it fifteen times, and made “what else meets here?” unanswerable. As modelled, the 387 source rows resolve to **263 distinct places** — so geocoding runs once per place, and a corrected address corrects every listing at it.

04 What the trial import proved

Rather than hand you a diagram and hope, I stood the schema up on a real PostgreSQL 16 database, ran the full 387 rows through the transformation, and then ran the queries the site will actually need. All of it passed; the numbers below are measured, not estimated.

WHAT THE SITE DOES	RESULT	CHECK
Every source row survives the merge	387 UIDs retained across 318 organisations; none lost	pass
Duplicate listings collapse	ACTION Recovery Resource Center is one listing carrying <code>{PRS10, RC01}</code> and both categories	pass
...but genuinely separate sites stay separate	Abundant Hope’s men’s and women’s houses remain distinct listings	pass

County filter includes coverage-only programmes	A Hancock County resident sees 7 pinned listings <i>and</i> 4 that serve the county without an office	pass
Shared venues resolve to one place	513 E Unaka Ave: 15 distinct meetings, 19 weekly sittings, one location row	pass
Bristol VA files under the right county	Washington Co. <i>Virginia</i> (51191), flagged out-of-region — not Washington Co. TN	pass
Misspelled search still finds listings	“narcotics anonymus” → Narcotics Anonymous (0.46); “celebrat recovry” → Celebrate Recovery (0.42)	pass
Synonyms reach what text search cannot	“suboxone” appears in 8 listings’ text but resolves to 62 treatment services through the synonym table	pass
Unpublished listings never leak	As the anonymous web role: 317 listings visible, 0 drafts and 0 private contacts exposed, submission queue unreadable	pass
Referential integrity	0 orphans across locations, schedules, service areas and contacts	pass

One caveat, stated plainly: the sandbox had PostgreSQL 16 but no PostGIS package, so the spatial functions ran through a haversine stand-in with the same call signatures. Everything else — the schema, the import, the joins, constraints, search and row-level security — ran against real Postgres. Supabase ships PostGIS, and the distance query will be re-checked there on day one of the build.

05 Eleven rows that need a human

The import refuses to guess. Where the source disagrees with itself, it keeps both readings, flags the row, and leaves the decision to you. These are all of them.

LISTING	WHAT THE SOURCE SAYS	NEEDS
ROPS – Region 1 <i>Matthew Crawford</i>	Seven rows give (423) 612-6117 ; the Sullivan County row gives (423) 612-6113	verify number
1425 E Center St, Kingsport	Filed under both ZIP 37660 and 37664 — kept 37660	confirm ZIP
208 E. Unaka Ave., Johnson City	Filed under both ZIP 37601 and 37604 — kept 37601	confirm ZIP
RU Recovery (×3)	Three venues named (Victory, Rock Heritage and Temple Baptist) but no day or time given anywhere	supply schedule
ETSU Family Medicine	Two rows carry different websites <i>and</i> different descriptions	pick one
All Recovery Meeting	Johnson City and Mountain City rows carry different websites	pick one

Bristol Lifestyle Recovery	Mapped to Washington Co. <i>Virginia</i> . Bristol VA is an independent city, so strictly it sits in no county	confirm
League of Ordinary Gentlemen	<i>"3rd Thursdays at 6:00 PM"</i> — read as Thursday	FYI

Two things only you can answer

Category definitions. The definitions file is marked draft and says it should be reviewed before public launch. They are loaded into the schema with their sources and will show on the category pages, so signing off the wording is a content task with a launch deadline attached.

The fields the spreadsheet has no column for — access, level of care, populations served, payment accepted, hours. The tables exist and are empty. They fill through the submission form and the professional CSV over time; the site will show [last verified: July 2026](#) on imported listings until then.

06 What happens on approval

The build starts against this structure: Directus is pointed at it and picks up every table as an editable collection, the production importer is this same transformation plus geocoding, and the directory, map and meetings pages are written against the queries already proven above.

If something here reads wrong, this is the cheap moment to say so. After the import runs and the pages are written against it, the same change costs a migration, a re-import and a rewrite of every query that touches it.

Phase 0 deliverable · Northeast Tennessee Reach resource directory · Bandida Tech Pte. Ltd. · 24 September 2026 · Accompanied by [schema.sql](#) (the DDL). The full output of the validation run in section 4 is available on request.

