

Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

E - 12

Lab# 2274

<u>Customer</u> Facility Name:

Hosanna Camp

Address:

400 Sherwood Rd

Pittsburgh, PA 15221

Matrix:

Recreational Water

Source Type: Shallow End

Sample Collection

Date: Time: *8/11/25* 11:19 AM

Method: Grab

Sample Final Analysis

Date: Time: 8/14/25 9:00 AM

Analyst: AS

Accredited Analysis Results		Reporting limit	Incubation Date/Time		Analyst	Method	
Escherichia Coli:	Absent	Absent	8/12/25	9:00 AM	EB	SM 9222G	
Total coliforms:	0/100mls	2/100mls	8/12/25	9:00 AM	EB	SM 9222B	
Standard plate count:	0/ml	200/ml	8/11/25	2:31 PM	EB	SM 9215B	

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/11/25	11:19 AM	EH	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/11/25	11:19 AM	EH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/11/25	11:19 AM	EH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

andre Smith

Andre Smith, Lead Supervisor



Dream Pools and Spas 1105 Washington Blvd Pittsburgh, Pennsylvania 15206 (412) 661- 7665 Laboratory Analysis Report

Lab ID No. 02-04041

E - 12

Lab# 2274

<u>Customer</u> Facility Name:

Hosanna Camp

Address:

400 Sherwood Rd

Pittsburgh, PA 15221

Matrix:

Recreational Water

Source Type: Shallow End

Sample Collection

Date: Time: *8/11/25* 11:19 AM

Method: Grab

Sample Final Analysis

Date: Time: 8/14/25 9:00 AM

Analyst: AS

Accredited Analysis Results		Reporting limit	Incubation Date/Time		Analyst	Method	
Escherichia Coli:	Absent	Absent	8/12/25	9:00 AM	EB	SM 9222G	
Total coliforms:	0/100mls	2/100mls	8/12/25	9:00 AM	EB	SM 9222B	
Standard plate count:	0/ml	200/ml	8/11/25	2:31 PM	EB	SM 9215B	

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/11/25	11:19 AM	EH	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	8/11/25	11:19 AM	EH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/11/25	11:19 AM	EH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

andre Smith

Andre Smith, Lead Supervisor