



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**LCP**

**Lab# 2728**

**Customer**

Facility Name: *Montour CC*  
Address: *1491 Coraopolis Heights Rd*  
*Coraopolis, PA 15108*

Matrix: *Recreational Water*

Source Type: *Shallow End*

**Sample Collection**

Date: *9/2/25*  
Time: *8:00 AM*  
Method: *Grab*

**Sample Final Analysis**

Date: *9/5/25*  
Time: *10:00 AM*  
Analyst: *AS*

Laboratory Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	9/3/25	9:30 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	9/3/25	9:30 AM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	9/2/25	3:50 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	9/2/25	8:00 AM	VH	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	9/2/25	8:00 AM	VH	DPD
Turbidity:	1 NTU	1 - 2 NTU	9/2/25	8:00 AM	VH	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor