



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2065

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Date: 8/18/25
Time: 11:37 AM
Method: Grab

Sample Final Analysis

Date: 8/21/25
Time: 9:00 AM
Analyst: AS

Facility Name:

Bryn Mawr

Address:

100 Bryn Mawr Court
Pittsburgh, PA 15221

Matrix:

Recreational Water

Source Type:

Pool

| Accredited Analysis | Results | Reporting limit | Incubation Date/Time | | Analyst | Method |
|-----------------------|----------|-----------------|----------------------|---------|---------|----------|
| Escherichia Coli: | Absent | Absent | 8/19/25 | 9:00 AM | EB | SM 9222G |
| Total coliforms: | 0/100mls | 2/100mls | 8/19/25 | 9:00 AM | EB | SM 9222B |
| Standard plate count: | 180/ml | 200/ml | 8/18/25 | 2:42 PM | EB | SM 9215B |

| Field Analysis | Results | Reporting limit | Date/Time | | Analyst | Method |
|----------------|----------|-----------------|-----------|----------|---------|--------|
| pH: | 8.0 SU | 7.2 - 7.8 SU | 8/18/25 | 11:37 AM | EH | DPD |
| Chlorine: | 7.5 mg/l | 1.0 - 5.0 mg/l | 8/18/25 | 11:37 AM | EH | DPD |
| Turbidity: | 1 NTU | 1 - 2 NTU | 8/18/25 | 11:37 AM | EH | Visual |

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor