



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2732

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Arsenal 201 Phase 2

Date: 7/15/25

Address: 3922 Foster St.
Pittsburgh, PA 15201

Time: 8:30 AM

Method: Grab

Sample Final Analysis

Matrix: Recreational Water

Date: 7/18/25

Source Type: Pool 2

Time: 9:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/16/25	10:50 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/16/25	10:50 AM	EB	SM 9222B
Standard plate count:	180/ml	200/ml	7/15/25	4:25 PM	EB	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/15/25	8:30 AM	LM	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/15/25	8:30 AM	LM	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/15/25	8:30 AM	LM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

APM 1

Lab# 2732

Customer

American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237

Sample Collection

Facility Name: Arsenal 201 Phase 2
Address: 3922 Foster St.
Pittsburgh, PA 15201

Date: 7/15/25
Time: 8:30 AM
Method: Grab

Sample Final Analysis

Matrix: Recreational Water
Source Type: Pool 2

Date: 7/18/25
Time: 9:30 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/16/25	10:50 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/16/25	10:50 AM	EB	SM 9222B
Standard plate count:	180/ml	200/ml	7/15/25	4:25 PM	EB	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	7/15/25	8:30 AM	LM	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	7/15/25	8:30 AM	LM	DPD
Turbidity:	1 NTU	1 - 2 NTU	7/15/25	8:30 AM	LM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor