Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-14

Lab# **2022**

Customer			*Sample Collection*	
Facility Name:	*Ashford Manor*		*Date:*	8/4/25
			Time:	11:25 AM
Address:	*99 Ashford Dr.*		*Method:*	*Grab*
	Cranberry, PA 16066			
			Sample Final Analysis	
Matrix:	*Recreational Water*		*Date:*	*8/7/25*
			Time:	*11:20 AM*
Source Type:	*Pool*		*Analyst:*	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	9:50 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	9:50 AM	AH	SM 9222B
Standard plate count:	22/ml	200/ml	8/4/25	3:15 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/4/25	11:25 AM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	8/4/25	11:25 AM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	11:25 AM	ZR	Visual

Sample comments

_____

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Customer

			Sample Collection	
Facility Name:	*Ashford Manor*		*Date:*	8/4/25
			Time:	11:25 AM
Address:	*99 Ashford Dr.*		*Method:*	*Grab*
	Cranberry, PA 16066			
			Sample Final Analysis	
Matrix:	*Recreational Water*		*Date:*	*8/7/25*
			Time:	*11:20 AM*
Source Type:	*Pool*		*Analyst:*	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	9:50 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	9:50 AM	AH	SM 9222B
Standard plate count:	22/ml	200/ml	8/4/25	3:15 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/4/25	11:25 AM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	8/4/25	11:25 AM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	11:25 AM	ZR	Visual

Sample comments

_____
Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)

Andre Smith