



**Dreams Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**PPS**

**Lab# 212**

**Customer**

**Facility Name:** Langley High School  
**Address:** 2940 Sheradan Blvd.  
Pittsburgh, PA 15204

**Sample Collection**

**Date:** 12/29/25  
**Time:** 2:51 PM  
**Method:** Grab

**Matrix:** Recreational Water  
**Source Type:** Pool Deep

**Sample Final Analysis**

**Date:** 1/1/26  
**Time:** 10:00 AM  
**Analyst:** AS

Accredited Analysis	Results	Rating	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	A	12/30/25	9:50 AM	EB	SM 9222G
Total coliforms:	0/100mls	A	12/30/25	9:50 AM	EB	SM 9222B
Standard plate count:	0/ml	A	12/29/25	4:00 PM	AS	SM 9215B

Field Analysis	Results	Rating	Date/Time		Analyst	Method
pH:	7.6 SU	A	12/29/25	2:51 PM	MM	DPD
Chlorine:	4.0 mg/l	B	12/29/25	2:51 PM	MM	DPD
Turbidity:	1 NTU	A	12/29/25	2:51 PM	MM	Visual

**Sample comments**

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)