



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**E - 10**

**Lab# 2132**

**Customer**

Facility Name: Crabapple Lake Park

Address: West Newton Road  
Herminie, PA 15637

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 6/10/25

Time: 9:23 AM

Method: Grab

**Sample Final Analysis**

Date: 6/13/25

Time: 9:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/11/25 10:00 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/11/25 10:00 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/10/25 3:12 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/10/25 9:23 AM	JC	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	6/10/25 9:23 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/10/25 9:23 AM	JC	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**E - 10**

**Lab# 2132**

**Customer**

Facility Name: Crabapple Lake Park

Address: West Newton Road  
Herminie, PA 15637

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 6/10/25

Time: 9:23 AM

Method: Grab

**Sample Final Analysis**

Date: 6/13/25

Time: 9:30 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/11/25 10:00 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/11/25 10:00 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/10/25 3:12 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/10/25 9:23 AM	JC	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	6/10/25 9:23 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/10/25 9:23 AM	JC	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor