



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-13

Lab# 2431

Customer

Facility Name: Redwood Estates
Address: 100 Redwood Dr.
Oakdale, PA 15071

Matrix: Recreational Water
Source Type: Pool

Sample Collection

Date: 8/19/25
Time: 10:07 AM
Method: Grab

Sample Final Analysis

Date: 8/22/25
Time: 9:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	8/20/25	9:20 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/20/25	9:20 AM	SL	SM 9222B
Standard plate count:	5700/ml	200/ml	8/19/25	3:30 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method	
pH:	8.0 SU	7.2 - 7.8 SU	8/19/25	10:07 AM	AH	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	8/19/25	10:07 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/19/25	10:07 AM	AH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor