



**Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report**

Lab ID No. 02-04041

C-1

Lab# 500

Customer

Facility Name: Ditheridge House
Address: 220 N. Ditheridge St
Pittsburgh, PA 15213
Matrix: Recreational Water
Source Type: Pool

Sample Collection

Date: 12/1/25
Time: 10:47 AM
Method: Grab

Sample Final Analysis

Date: 12/4/25
Time: 11:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	12/2/25	10:55 AM	AS SM 9222G
Total coliforms:	0/100mls	2/100mls	12/2/25	10:55 AM	AS SM 9222B
Standard plate count:	0/ml	200/ml	12/1/25	4:15 PM	AS SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	12/1/25	10:47 AM	SL DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	12/1/25	10:47 AM	SL DPD
Turbidity:	1 NTU	1 - 2 NTU	12/1/25	10:47 AM	SL Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor