



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**C-2**

**Lab# 348**

**Customer**

**Facility Name:** Wyndham Grand  
  
**Address:** 600 Commonwealth Place  
Pittsburgh, PA 15222

**Sample Collection**

**Date:** 1/13/26  
**Time:** 12:45 PM  
**Method:** Grab

**Matrix:** Recreational Water

**Sample Final Analysis**

**Date:** 1/16/26  
**Time:** 11:30 AM  
**Analyst:** AS

**Source Type:** Spa

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	1/14/26 11:00 AM	JC	SM 9222G
Total coliforms:	0/100mls	2/100mls	1/14/26 11:00 AM	JC	SM 9222B
Standard plate count:	0/ml	200/ml	1/13/26 5:15 PM	SL	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	1/14/26 12:30 PM	JC	SM 9230C
---------------------	----------	----------	------------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.6 SU	7.2 - 7.8 SU	1/13/26 12:45 PM	BH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	1/13/26 12:45 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	1/13/26 12:45 PM	BH	Visual

**Sample comments**

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)