



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**C-2**

**Lab# 117**

**Customer**

Facility Name: Hampton Inn  
Address: 1247 Smallman St.  
Pittsburgh, PA 15222

**Sample Collection**

Date: 10/28/25  
Time: 10:35 AM  
Method: Grab

Matrix: Recreational Water  
Source Type: Spa

**Sample Final Analysis**

Date: 10/31/25  
Time: 10:30 AM  
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	10/29/25 10:00 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	10/29/25 10:00 AM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	10/28/25 4:30 PM	SL	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	10/29/25 10:30 AM	SL	SM 9230C
---------------------	----------	----------	-------------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.0 SU	7.2 - 7.8 SU	10/28/25 10:35 AM	BH	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	10/28/25 10:35 AM	BH	DPD
Turbidity:	2 NTU	1 - 2 NTU	10/28/25 10:35 AM	BH	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor