



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

E-2

Lab# 105

Customer

Facility Name: *Fairfield Inn*
Address: *107 Bair Blvd.*
New Stanton, PA 15672

Sample Collection

Date: *2/16/26*
Time: *9:10 AM*
Method: *Grab*

Sample Final Analysis

Date: *2/18/26*
Time: *10:30 AM*
Analyst: *AS*

Matrix: *Recreational Water*

Source Type: *Pool*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	2/17/26 10:00 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	2/17/26 10:00 AM	SL	SM 9222B
Standard plate count:	50/ml	200/ml	2/16/26 5:08 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	2/16/26 9:10 AM	JC	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	2/16/26 9:10 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	2/16/26 9:10 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor