Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

N-17

Lab# 2011

B & R Pools and Swim Shop

Customer

Facility Name:	*Alameda Park*
Address:	*184 Alameda Park Road* *Butler, PA 16001*
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*6/30/25*
Time:	1:15 PM
Method:	*Grab*

Sample Final Analysis

Date:	*7/3/25*
Time:	*9:30 AM*
Analyst:	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/1/25	11:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/1/25	11:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/30/25	6:00 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/30/25	1:15 PM	BH	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	6/30/25	1:15 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/30/25	1:15 PM	BH	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Customer		*Sample Collection*	
Facility Name:	Alameda Park	*Date:*	6/30/25
		Time:	1:15 PM
Address:	184 Alameda Park Road	*Method:*	Grab
	Butler, PA 16001		
		Sample Final Analysis	
Matrix:	Recreational Water	*Date:*	7/3/25
		Time:	9:30 AM
Source Type:	Pool	*Analyst:*	AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	7/1/25	11:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	7/1/25	11:00 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	6/30/25	6:00 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	6/30/25	1:15 PM	BH	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	6/30/25	1:15 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/30/25	1:15 PM	BH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor