



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-1

Lab# 393

Customer

Facility Name: YMCA Spencer Family

Address: 305 Church Rd
Bethel Park, PA 15102

Matrix: Recreational Water

Source Type: Small Pool

Sample Collection

Date: 2/10/26

Time: 12:53 PM

Method: Grab

Sample Final Analysis

Date: 2/13/26

Time: 10:30 AM

Analyst: AS

| Accredited Analysis | Results | Reporting limit | Incubation | Date/Time | Analyst | Method |
|-----------------------|----------|-----------------|------------|-----------|---------|----------|
| Escherichia Coli: | Absent | Absent | 2/11/26 | 10:20 AM | JC | SM 9222G |
| Total coliforms: | 0/100mls | 2/100mls | 2/11/26 | 10:20 AM | JC | SM 9222B |
| Standard plate count: | 0/ml | 200/ml | 2/10/26 | 5:30 PM | SL | SM 9215B |

| Field Analysis | Results | Reporting limit | Date/Time | Analyst | Method | |
|----------------|----------|-----------------|-----------|----------|--------|--------|
| pH: | 7.4 SU | 7.2 - 7.8 SU | 2/10/26 | 12:53 PM | MM | DPD |
| Chlorine: | 3.0 mg/l | 1.0 - 5.0 mg/l | 2/10/26 | 12:53 PM | MM | DPD |
| Turbidity: | 1 NTU | 1 - 2 NTU | 2/10/26 | 12:53 PM | MM | Visual |

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor