



**Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report**

Lab ID No. 02-04041

APM 1

Lab# 2010

Customer

*American Pools Management
3261 Babcock Blvd.
Pittsburgh, PA 15237*

Facility Name: Adams Ridge

Sample Collection

Date: 8/27/25

Time: 3:39 PM

Address: 100 Adams Ridge Blvd.
Mars, PA 16046

Method: *Grab*

Matrix: Recreational Water

Sample Final Analysis

Date: 8/30/25

Time: 8:30 AM

Source Type: Baby Pool

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/28/25	10:40 AM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/28/25	10:40 AM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	8/27/25	5:40 PM	0	SM 9215B
Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/27/25	3:39 PM	SL	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/27/25	3:39 PM	SL	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/27/25	3:39 PM	SL	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Anabee Smith

Andre Smith, Lead Supervisor