



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

SERVICE

Lab# 2030

Customer

Facility Name: *Barrington Manor*
Address: *200 Barrington Dr.*
Oakdale, PA 15071

Sample Collection

Date: *8/19/25*
Time: *7:42 AM*
Method: *Grab*

Sample Final Analysis

Date: *8/22/25*
Time: *9:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/20/25	9:20 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/20/25	9:20 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	8/19/25	4:45 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/19/25	7:42 AM	AH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/19/25	7:42 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/19/25	7:42 AM	AH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

Andre Smith, Lead Supervisor