



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-10

Lab# 2088

Customer

Facility Name: *Chanticleer Swim Club*

Address: *1032 Chanticleer Drive*
Crescent, PA 15046

Matrix: *Recreational Water*

Source Type: *Deep End*

Sample Collection

Date: *8/4/25*
Time: *11:22 AM*
Method: *Grab*

Sample Final Analysis

Date: *8/7/25*
Time: *11:20 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	1:15 PM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	1:15 PM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25	7:20 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	8/4/25	11:22 AM	AH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/4/25	11:22 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	11:22 AM	AH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

W-10

Lab# 2088

Customer

Facility Name: *Chanticleer Swim Club*

Address: *1032 Chanticleer Drive*
Crescent, PA 15046

Matrix: *Recreational Water*

Source Type: *Deep End*

Sample Collection

Date: *8/4/25*
Time: *11:22 AM*
Method: *Grab*

Sample Final Analysis

Date: *8/7/25*
Time: *11:20 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/5/25	1:15 PM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25	1:15 PM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25	7:20 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	8/4/25	11:22 AM	AH	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/4/25	11:22 AM	AH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25	11:22 AM	AH	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor