



Dreams Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

PPS

Lab# 269

Customer

Facility Name: Science and Technology Academy

Address: 107 Thackeray St.
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Pool Deep

Sample Collection

Date: 8/18/25

Time: 11:55 AM

Method: Grab

Sample Final Analysis

Date: 8/21/25

Time: 9:00 AM

Analyst: AS

Accredited Analysis	Results	Rating	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	A	8/19/25	10:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	A	8/19/25	10:00 AM	EB	SM 9222B
Standard plate count:	0/ml	A	8/18/25	4:20 PM	EB	SM 9215B

Field Analysis	Results	Rating	Date/Time		Analyst	Method
pH:	8.0 SU	E	8/18/25	11:55 AM	ZS	DPD
Chlorine:	6.0 mg/l	E	8/18/25	11:55 AM	ZS	DPD
Turbidity:	1 NTU	A	8/18/25	11:55 AM	ZS	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor