



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**C-10**

**Lab# 184**

**Customer**

Facility Name: *Imperial House*  
Address: *5600 Munhall Rd.*  
*Pittsburgh, PA 15217*

Matrix: *Recreational Water*

Source Type: *Spa*

**Sample Collection**

Date: *8/4/25*  
Time: *9:45 AM*  
Method: *Grab*

**Sample Final Analysis**

Date: *8/7/25*  
Time: *11:20 AM*  
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	8/5/25 9:50 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25 9:50 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25 3:15 PM	AH	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	8/5/25 1:45 PM	AH	SM 9230C
---------------------	----------	----------	----------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	8.0 SU	7.2 - 7.8 SU	8/4/25 9:45 AM	LM	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/4/25 9:45 AM	LM	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25 9:45 AM	LM	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**C-10**

**Lab# 184**

**Customer**

Facility Name: *Imperial House*  
Address: *5600 Munhall Rd.*  
*Pittsburgh, PA 15217*

Matrix: *Recreational Water*

Source Type: *Spa*

**Sample Collection**

Date: *8/4/25*  
Time: *9:45 AM*  
Method: *Grab*

**Sample Final Analysis**

Date: *8/7/25*  
Time: *11:20 AM*  
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Absent	Absent	8/5/25 9:50 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/5/25 9:50 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	8/4/25 3:15 PM	AH	SM 9215B

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	8/5/25 1:45 PM	AH	SM 9230C
---------------------	----------	----------	----------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	8.0 SU	7.2 - 7.8 SU	8/4/25 9:45 AM	LM	DPD
Chlorine:	2.0 mg/l	1.0 - 5.0 mg/l	8/4/25 9:45 AM	LM	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/4/25 9:45 AM	LM	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor