



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**E-2**

**Lab# 292**

**Customer**

Facility Name: Springhill Suites Latrobe

Address: 115 Arnold Palmer Dr.  
Latrobe, PA 15650

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 11/17/25

Time: 2:47 PM

Method: Grab

**Sample Final Analysis**

Date: 11/20/25

Time: 10:00 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	11/18/25	10:30 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	11/18/25	10:30 AM	SL	SM 9222B
Standard plate count:	0/ml	200/ml	11/17/25	5:08 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	11/17/25	2:47 PM	SL	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	11/17/25	2:47 PM	SL	DPD
Turbidity:	1 NTU	1 - 2 NTU	11/17/25	2:47 PM	SL	Visual

**Sample comments**

Andre Smith, Lead Supervisor

( When exceeding reporting limit pool or spa is unfit)