



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-16**

**Lab# 2690**

**Customer**

Facility Name: Pine Twp. Spray Park

Address: 100 Pine Park Dr.  
Wexford, PA 15090

Matrix: Recreational Water

Source Type: Spray Pad

**Sample Collection**

Date: 8/20/25

Time: 12:40 PM

Method: Grab

**Sample Final Analysis**

Date: 8/22/25

Time: 3:30 PM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/20/25	5:45 PM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/20/25	5:45 PM	SL	SM 9222B
Standard plate count:	570/ml	200/ml	8/20/25	5:45 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.0 SU	7.2 - 7.8 SU	8/20/25	12:40 PM	MM	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	8/20/25	12:40 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/20/25	12:40 PM	MM	Visual

**Sample comments**

*Andre Smith*

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor