



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**E - 10**

**Lab# 2694**

**Customer**

Facility Name: Village of Totteridge  
Address: 121 Chipperfield  
Greensburg, PA 15601

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 6/25/25  
Time: 3:30 PM  
Method: Grab

**Sample Final Analysis**

Date: 6/27/25  
Time: 4:30 PM  
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/25/25	6:40 PM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/25/25	6:40 PM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	6/25/25	6:40 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method	
pH:	7.4 SU	7.2 - 7.8 SU	6/25/25	3:30 PM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/25/25	3:30 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/25/25	3:30 PM	ZR	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**E - 10**

**Lab# 2694**

**Customer**

Facility Name: Village of Totteridge  
Address: 121 Chipperfield  
Greensburg, PA 15601

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 6/25/25  
Time: 3:30 PM  
Method: Grab

**Sample Final Analysis**

Date: 6/27/25  
Time: 4:30 PM  
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation	Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/25/25	6:40 PM	AS	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/25/25	6:40 PM	AS	SM 9222B
Standard plate count:	0/ml	200/ml	6/25/25	6:40 PM	AS	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method	
pH:	7.4 SU	7.2 - 7.8 SU	6/25/25	3:30 PM	ZR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/25/25	3:30 PM	ZR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/25/25	3:30 PM	ZR	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

*Andre Smith*

Andre Smith, Lead Supervisor