



Dreams Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

PPS

Lab# 243

Customer

Facility Name: Oliver H.S.

Address: 2323 Brighton Rd.
Pittsburgh, PA 15212

Matrix: Recreational Water

Source Type: Pool Deep

Sample Collection

Date: 2/16/26
Time: 1:14 PM
Method: Grab

Sample Final Analysis

Date: 2/18/26
Time: 11:30 AM
Analyst: AS

| Accredited Analysis | Results | Rating | Incubation Date/Time | | Analyst | Method |
|-----------------------|----------|--------|----------------------|----------|---------|----------|
| Escherichia Coli: | Absent | A | 2/17/26 | 11:00 AM | SL | SM 9222G |
| Total coliforms: | 0/100mls | A | 2/17/26 | 11:00 AM | SL | SM 9222B |
| Standard plate count: | 0/ml | A | 2/16/26 | 5:08 PM | SL | SM 9215B |

| Field Analysis | Results | Rating | Date/Time | | Analyst | Method |
|----------------|----------|--------|-----------|---------|---------|--------|
| pH: | 7.6 SU | A | 2/16/26 | 1:14 PM | MM | DPD |
| Chlorine: | 2.0 mg/l | B | 2/16/26 | 1:14 PM | MM | DPD |
| Turbidity: | 1 NTU | A | 2/16/26 | 1:14 PM | MM | Visual |

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)