Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Customer

			Sample Collection	
Facility Name:	*Hampton Inn*		*Date:*	*5/27/25*
			Time:	*8:18 AM*
Address:	*N. Rachel Dr*		*Method:*	*Grab*
	New Stanton, PA 15672			
			Sample Final Analysis	
Matrix:	*Recreational Water*		*Date:*	*5/30/25*
			Time:	*9:00 AM*
Source Type:	*Pool*		*Analyst:*	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	5/28/25	9:45 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	5/28/25	9:45 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	5/27/25	4:20 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	5/27/25	8:18 AM	JC	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	5/27/25	8:18 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	5/27/25	8:18 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

_____

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Customer			*Sample Collection*	
Facility Name:	*Hampton Inn*		*Date:*	*5/27/25*
			Time:	*8:18 AM*
Address:	*N. Rachel Dr*		*Method:*	*Grab*
	New Stanton, PA 15672			
			Sample Final Analysis	
Matrix:	*Recreational Water*		*Date:*	*5/30/25*
			Time:	*9:00 AM*
Source Type:	*Pool*		*Analyst:*	*AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	5/28/25	9:45 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	5/28/25	9:45 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	5/27/25	4:20 PM	EB	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	5/27/25	8:18 AM	JC	DPD
Chlorine:	7.5 mg/l	1.0 - 5.0 mg/l	5/27/25	8:18 AM	JC	DPD
Turbidity:	1 NTU	1 - 2 NTU	5/27/25	8:18 AM	JC	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor