



Dreams Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

PPS

Lab# 269

Customer

Facility Name: Science and Technology Academy

Address: 107 Thackeray St.
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Pool Deep

Sample Collection

Date: 8/11/25

Time: 2:00 PM

Method: Grab

Sample Final Analysis

Date: 8/14/25

Time: 9:00 AM

Analyst: AS

Accredited Analysis	Results	Rating	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	A	8/12/25	10:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	A	8/12/25	10:00 AM	EB	SM 9222B
Standard plate count:	80/ml	C	8/11/25	5:20 PM	AH	SM 9215B

Field Analysis	Results	Rating	Date/Time		Analyst	Method
pH:	7.8 SU	C	8/11/25	2:00 PM	SL	DPD
Chlorine:	5.0 mg/l	D	8/11/25	2:00 PM	SL	DPD
Turbidity:	1 NTU	A	8/11/25	2:00 PM	SL	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dreams Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

PPS

Lab# 269

Customer

Facility Name: Science and Technology Academy

Address: 107 Thackeray St.
Pittsburgh, PA 15213

Matrix: Recreational Water

Source Type: Pool Deep

Sample Collection

Date: 8/11/25

Time: 2:00 PM

Method: Grab

Sample Final Analysis

Date: 8/14/25

Time: 9:00 AM

Analyst: AS

Accredited Analysis	Results	Rating	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	A	8/12/25	10:00 AM	EB	SM 9222G
Total coliforms:	0/100mls	A	8/12/25	10:00 AM	EB	SM 9222B
Standard plate count:	80/ml	C	8/11/25	5:20 PM	AH	SM 9215B

Field Analysis	Results	Rating	Date/Time		Analyst	Method
pH:	7.8 SU	C	8/11/25	2:00 PM	SL	DPD
Chlorine:	5.0 mg/l	D	8/11/25	2:00 PM	SL	DPD
Turbidity:	1 NTU	A	8/11/25	2:00 PM	SL	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor