



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

C-1

Lab# 184

Customer

Facility Name: *Imperial House*

Address: *5600 Munhall Rd.*
Pittsburgh, PA 15217

Matrix: *Recreational Water*

Source Type: *Spa*

Sample Collection

Date: *11/25/25*
Time: *8:36 AM*
Method: *Grab*

Sample Final Analysis

Date: *11/28/25*
Time: *10:30 AM*
Analyst: *AS*

| Accredited Analysis | Results | Reporting limit | Incubation Date/Time | | Analyst | Method |
|---------------------|---------|-----------------|----------------------|----------|---------|----------|
| Escherichia Coli: | Absent | Absent | 11/26/25 | 10:00 AM | JC | SM 9222G |

| | | | | | | |
|------------------|----------|----------|----------|----------|----|----------|
| Total coliforms: | 0/100mls | 2/100mls | 11/26/25 | 10:00 AM | JC | SM 9222B |
|------------------|----------|----------|----------|----------|----|----------|

| | | | | | | |
|-----------------------|------|--------|----------|---------|----|----------|
| Standard plate count: | 0/ml | 200/ml | 11/25/25 | 4:45 PM | AS | SM 9215B |
|-----------------------|------|--------|----------|---------|----|----------|

| Additional Analysis | Results | Reporting limit | Incubation Date/Time | | Analyst | Method |
|---------------------|----------|-----------------|----------------------|----------|---------|----------|
| Fecal Streptococcus | 0/100mls | 2/100mls | 11/26/25 | 10:20 AM | SL | SM 9230C |

| Field Analysis | Results | Reporting limit | Date/Time | | Analyst | Method |
|----------------|----------|-----------------|-----------|---------|---------|--------|
| pH: | 7.6 SU | 7.2 - 7.8 SU | 11/25/25 | 8:36 AM | GR | DPD |
| Chlorine: | 5.0 mg/l | 1.0 - 5.0 mg/l | 11/25/25 | 8:36 AM | GR | DPD |
| Turbidity: | 1 NTU | 1 - 2 NTU | 11/25/25 | 8:36 AM | GR | Visual |

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)