



Dreams Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

PPS

Lab# 309

Customer

Facility Name: University Prep Middle School

Address: 3117 Centre Ave.
Pittsburgh, PA 15219

Matrix: Recreational Water

Source Type: Pool Deep

Sample Collection

Date: 12/29/25

Time: 12:29 PM

Method: Grab

Sample Final Analysis

Date: 1/1/26

Time: 10:00 AM

Analyst: AS

| Accredited Analysis | Results | Rating | Incubation Date/Time | | Analyst | Method |
|-----------------------|----------|--------|----------------------|---------|---------|----------|
| Escherichia Coli: | Absent | A | 12/30/25 | 9:50 AM | EB | SM 9222G |
| Total coliforms: | 0/100mls | A | 12/30/25 | 9:50 AM | EB | SM 9222B |
| Standard plate count: | 0/ml | A | 12/29/25 | 5:45 PM | AS | SM 9215B |

| Field Analysis | Results | Rating | Date/Time | | Analyst | Method |
|----------------|----------|--------|-----------|----------|---------|--------|
| pH: | 7.6 SU | A | 12/29/25 | 12:29 PM | MM | DPD |
| Chlorine: | 3.0 mg/l | A | 12/29/25 | 12:29 PM | MM | DPD |
| Turbidity: | 1 NTU | A | 12/29/25 | 12:29 PM | MM | Visual |

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)