Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-12

Lab# **295**

Customer

Facility Name:	*Springhill West Mifflin*
Address:	*1000 Regis Avenue*
	Pittsburgh, PA 15236
Matrix:	*Recreational Water*
Source Type:	*Pool*

Sample Collection

Date:	*6/9/25*
Time:	1:25 PM
Method:	*Grab*

Sample Final Analysis

Date:	*6/12/25*
Time:	*9:30 AM*
Analyst:	AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/10/25	11:15 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/10/25	11:15 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/9/25	6:20 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/9/25	1:25 PM	DW	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/9/25	1:25 PM	DW	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/9/25	1:25 PM	DW	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith

_____

Andre Smith, Lead Supervisor

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

S-12

Lab# **295**

Customer
Facility Name: *Springhill West Mifflin*

Address: *1000 Regis Avenue*
Pittsburgh, PA 15236

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection
Date: *6/9/25*
Time: 1:25 PM
Method: *Grab*

Sample Final Analysis
Date: *6/12/25*
Time: 9:30 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/10/25	11:15 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/10/25	11:15 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/9/25	6:20 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/9/25	1:25 PM	DW	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/9/25	1:25 PM	DW	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/9/25	1:25 PM	DW	Visual

Sample comments

Andre Smith

(When exceeding reporting limit pool or spa is unfit)

_____

Andre Smith, Lead Supervisor