



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-17**

**Lab# 2706**

**Customer**

Facility Name: #2 Village of Sarver Mill

Address: 122 Hidden Cliff Dr  
Sarver, PA 16055

Matrix: Recreational Water

Source Type: Pool

**Sample Collection**

Date: 8/18/25

Time: 10:25 AM

Method: Grab

**Sample Final Analysis**

Date: 8/21/25

Time: 9:00 AM

Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/19/25	11:00 AM	SL	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/19/25	11:00 AM	SL	SM 9222B
Standard plate count:	100/ml	200/ml	8/18/25	6:15 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	8/18/25	10:25 AM	BH	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	8/18/25	10:25 AM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/18/25	10:25 AM	BH	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor