



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**S-1**

**Lab# 258**

**Customer**

Facility Name: *Providence Pointe*  
  
Address: *301 Kane Blvd.*  
*Pittsburgh, PA 15243*

**Sample Collection**

Date: *11/4/25*  
Time: *3:30 PM*  
Method: *Grab*

Matrix: *Recreational Water*  
  
Source Type: *Pool*

**Sample Final Analysis**

Date: *11/7/25*  
Time: *10:30 AM*  
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	11/5/25 10:10 AM	JC	SM 9222G
Total coliforms:	0/100mls	2/100mls	11/5/25 10:10 AM	JC	SM 9222B
Standard plate count:	0/ml	200/ml	11/4/25 5:20 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	11/4/25 3:30 PM	MM	DPD
Chlorine:	3.0 mg/l	1.0 - 5.0 mg/l	11/4/25 3:30 PM	MM	DPD
Turbidity:	1 NTU	1 - 2 NTU	11/4/25 3:30 PM	MM	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

*Andre Smith*

Andre Smith, Lead Supervisor