



Lab ID No. 02-04041

Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Service**Lab# 314****Customer****Facility Name:** UPMC Sports Rehab**Address:** 200 Lothrop St.
Pittsburgh, PA 15213**Matrix:** Recreational Water**Source Type:** Therapy Spa**Sample Collection****Date:** 11/3/25**Time:** 12:30 PM**Method:** Grab**Sample Final Analysis****Date:** 11/6/25**Time:** 10:00 AM**Analyst:** AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Escherichia Coli:	Present	Absent	11/4/25 9:50 AM	JC	SM 9222G
-------------------	---------	--------	-----------------	----	----------

Total coliforms:	0/100mls	2/100mls	11/4/25 9:50 AM	JC	SM 9222B
------------------	----------	----------	-----------------	----	----------

Standard plate count:	0/ml	200/ml	11/3/25 4:27 PM	SL	SM 9215B
-----------------------	------	--------	-----------------	----	----------

Additional Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
---------------------	---------	-----------------	----------------------	---------	--------

Fecal Streptococcus	0/100mls	2/100mls	11/4/25 10:30 AM	SL	SM 9230C
---------------------	----------	----------	------------------	----	----------

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
----------------	---------	-----------------	-----------	---------	--------

pH:	7.3 SU	7.2 - 7.8 SU	11/3/25 12:30 PM	DS	DPD
-----	--------	--------------	------------------	----	-----

Chlorine:	1.4 mg/l	1.0 - 5.0 mg/l	11/3/25 12:30 PM	DS	DPD
-----------	----------	----------------	------------------	----	-----

Turbidity:	1 NTU	1 - 2 NTU	11/3/25 12:30 PM	DS	Visual
------------	-------	-----------	------------------	----	--------

Sample comments

Andre Smith, Lead Supervisor

(When exceeding reporting limit pool or spa is unfit)