



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

C-10

Lab# 2554

Customer

Facility Name: *Village of Shadyside*
Address: *100 Denniston Ave.*
Pittsburgh, Pa 15206

Matrix: *Recreational Water*

Source Type: *Pool*

Sample Collection

Date: *6/16/25*
Time: *8:45 AM*
Method: *Grab*

Sample Final Analysis

Date: *6/19/25*
Time: *10:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/17/25 10:05 AM	EB	SM 9222G
Total coliforms:	1/100mls	2/100mls	6/17/25 10:05 AM	EB	SM 9222B
Standard plate count:	200/ml	200/ml	6/16/25 3:48 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/16/25 8:45 AM	LM	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/16/25 8:45 AM	LM	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/16/25 8:45 AM	LM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools and Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041

C-10

Lab# 2554

Customer

Facility Name: Village of Shadyside
Address: 100 Denniston Ave.
Pittsburgh, Pa 15206

Matrix: Recreational Water

Source Type: Pool

Sample Collection

Date: 6/16/25
Time: 8:45 AM
Method: Grab

Sample Final Analysis

Date: 6/19/25
Time: 10:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/17/25 10:05 AM	EB	SM 9222G
Total coliforms:	1/100mls	2/100mls	6/17/25 10:05 AM	EB	SM 9222B
Standard plate count:	200/ml	200/ml	6/16/25 3:48 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	7.4 SU	7.2 - 7.8 SU	6/16/25 8:45 AM	LM	DPD
Chlorine:	1.0 mg/l	1.0 - 5.0 mg/l	6/16/25 8:45 AM	LM	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/16/25 8:45 AM	LM	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor