



**Dream Pools and Spas**  
**1105 Washington Blvd**  
**Pittsburgh, Pennsylvania 15206**  
**(412) 661- 7665**  
**Laboratory Analysis Report**

Lab ID No. 02-04041

**N-17**

**Lab# 126**

**Customer**

*Facility Name:* Hampton Inn - Butler

*Address:* 610 Butler Crossing  
Butler, PA 16001

*Matrix:* Recreational Water

*Source Type:* Pool

**Sample Collection**

*Date:* 8/18/25

*Time:* 1:30 PM

*Method:* Grab

**Sample Final Analysis**

*Date:* 8/21/25

*Time:* 9:00 AM

*Analyst:* AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	8/19/25	10:30 AM	EB	SM 9222G
Total coliforms:	0/100mls	2/100mls	8/19/25	10:30 AM	EB	SM 9222B
Standard plate count:	0/ml	200/ml	8/18/25	5:45 PM	SL	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	7.6 SU	7.2 - 7.8 SU	8/18/25	1:30 PM	BH	DPD
Chlorine:	5.0 mg/l	1.0 - 5.0 mg/l	8/18/25	1:30 PM	BH	DPD
Turbidity:	1 NTU	1 - 2 NTU	8/18/25	1:30 PM	BH	Visual

**Sample comments**

( When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor