



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041
APM 2

Lab# 2650

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Hemlocks*
Address: *4424 Laurel Oak D.*
Allison Park, PA 15101

Sample Collection

Date: *6/16/25*
Time: *9:51 AM*
Method: *Grab*

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Final Analysis

Date: *6/19/25*
Time: *10:00 AM*
Analyst: *AS*

Accredited Analysis	Results	Reporting limit	Incubation Date/Time	Analyst	Method
Escherichia Coli:	Absent	Absent	6/17/25 10:05 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/17/25 10:05 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/16/25 4:00 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time	Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/16/25 9:51 AM	GR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/16/25 9:51 AM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/16/25 9:51 AM	GR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor



Dream Pools And Spas
1105 Washington Blvd
Pittsburgh, Pennsylvania 15206
(412) 661- 7665
Laboratory Analysis Report

Lab ID No. 02-04041
APM 2

Lab# 2650

Customer *American Pools Management*
3261 Babcock Blvd.
Pittsburgh, PA 15237

Facility Name: *Hemlocks*
Address: *4424 Laurel Oak D.*
 Allison Park, PA 15101

Sample Collection

Date: 6/16/25
Time: 9:51 AM
Method: Grab

Matrix: *Recreational Water*
Source Type: *Pool*

Sample Final Analysis

Date: 6/19/25
Time: 10:00 AM
Analyst: AS

Accredited Analysis	Results	Reporting limit	Incubation Date/Time		Analyst	Method
Escherichia Coli:	Absent	Absent	6/17/25	10:05 AM	AH	SM 9222G
Total coliforms:	0/100mls	2/100mls	6/17/25	10:05 AM	AH	SM 9222B
Standard plate count:	0/ml	200/ml	6/16/25	4:00 PM	AH	SM 9215B

Field Analysis	Results	Reporting limit	Date/Time		Analyst	Method
pH:	8.0 SU	7.2 - 7.8 SU	6/16/25	9:51 AM	GR	DPD
Chlorine:	0.0 mg/l	1.0 - 5.0 mg/l	6/16/25	9:51 AM	GR	DPD
Turbidity:	1 NTU	1 - 2 NTU	6/16/25	9:51 AM	GR	Visual

Sample comments

(When exceeding reporting limit pool or spa is unfit)

Andre Smith, Lead Supervisor